

Advances in Programming Languages

APL4: JML — The Java Modeling Language

David Aspinall
(slides originally by Ian Stark)

School of Informatics
The University of Edinburgh

Thursday 21 January 2010
Semester 2 Week 2



Topic: Some Formal Verification

This is the second of four lectures about techniques and tools for formal verification, specifically:

- Hoare logic
- JML: The Java Modeling Language
- ESC/Java 2: The Extended Static Checker for Java
- Certifying correctness: approaches and examples

Outline

- 1 Introduction
- 2 Samples of JML
- 3 JML Tools

Outline

1 Introduction

2 Samples of JML

3 JML Tools

Hoare Logic (recap)

- Hoare assertions $\{P\} C \{Q\}$ state that if *precondition* P holds before running code C then *postcondition* Q will hold afterwards.
- Assertions $\vdash \{P\} C \{Q\}$ can be derived using Hoare *rules*; they may also be tested against a *semantics* $\models \{P\} C \{Q\}$.
- This allows logical reasoning about program behaviour: notably in formal *specification* and *verification*.
- Hoare assertions are widely used in tools and languages for formal methods. (e.g. Praxis SPARK Examiner)
- Assertions may be strengthened to *contracts* for code, placing obligations on both caller and called. (e.g. Eiffel)

Model-based specification

Modeling (sic) is an abstraction technique for system design and specification.

A *model* is a representation of the desired system.

A *formal model* is one that has a precise description in a formal language.

A model differs from an implementation in that it might:

- capture only some aspects of the system (e.g., interfaces);
- be partial, leaving some parts unspecified;
- not be executable.

An implementation of the system can be compared to the model.

Sometimes the model is iteratively refined to give the implementation.

Sample applications of modeling in computer software development:

VDM the *Vienna Development Method*.

B the *B language* and *B method*.

Extended ML the extension of Standard ML with specifications.

OCL the *Object Constraint Language* extension of UML.

The Java Modeling Language

The *Java Modeling Language*, JML, combines model-based and contract approaches to specification.

Some design features:

The specification lives close to the code

Within the Java source, in *annotation comments* `/*@...@*/`

Uses Java syntax and expressions

Rather than a separate specification language.

Common language for many tools and analysis

Tools add their own extensions, and ignore those of others.

Web site: jmlspecs.org

Outline

1 Introduction

2 Samples of JML

3 JML Tools

JML: basics

```
public class Account {  
    public int credit;  
  
    /*@ requires credit > amount && amount > 0;  
       @ ensures credit > 0 && credit == \old(credit) - amount;  
       @*/  
    public int withdraw(int amount) {  
        ...  
    }  
}
```

JML conditions combine logical formulae ($\&\&$, ==) with Java expressions (`credit`, `amount`). Expressions must be *pure*: no side-effects.

There are also visibility controls, glossed over in these examples: `credit` ought not to be `public`!

JML: exceptions

```
public class Account {  
    public int credit;  
  
    /*@ requires credit > amount && amount > 0;  
       @ ensures credit > 0 && credit == \old(credit) - amount;  
       @ signals (RefusedException) credit == \old(credit);  
       @*/  
    public int withdraw throws RefusedException (int amount) {  
        ...  
    }  
}
```

Where **ensures** speaks about normal termination, **signals** specifies properties of the state after exceptional termination.

JML: logical formulae

```
public class IntArray {  
    public int[] contents;  
  
    /*@ requires (\forall int i,j;  
        @           0 < i && i < j && j < contents.length;  
        @           contents[i] <= contents[j]);  
        @  
        @ ensures contents[\result] == value || \result == -1;  
        @*/  
    public int search (int value) { ... }  
}
```

The `search` routine requires that array `contents` be sorted on entry. This would, for example, be necessary if it used binary chop to locate `value`.

JML: class invariants

```
public class IntArray {  
    public int[] contents;  
  
    /*@ invariant (\forall int i,j;  
        @           0 < i && i < j && j < contents.length;  
        @           contents[i] <= contents[j]);  
    @*/  
  
    /*@ ensures contents[\result] == value || \result == -1  
    @*/  
    public int search (int value) { ... }  
}
```

Now `contents` must be sorted whenever it is visible to clients of `IntArray`.

JML: assumptions and assertions

```
/*@ assume j*j < contents.length @*/  
contents[j*j] = j;
```

...

```
a[0] = complexcomputation(a,v);  
/*@ assert (\forall int i; 1 < i && i < 10; a[0] < a[i]) @*/
```

An *assumption* may help a static analysis tool.

An *assertion* must always be checked.

(Remember that assertions are also available in plain Java itself via the **assert** statement, see <http://java.sun.com/j2se/1.5.0/docs/guide/language/assert.html>).

JML: models and ghosts

```
public class IntArray {  
    public int[] contents;  
  
    /*@ model int total;  
       @ represents total = arraySum(contents)  
       @*/  
  
    /*@ ghost int cursor;  
       @ set cursor = contents.length / 2  
       @*/  
    ...  
}
```

A *model* field represents some property of the model that does not appear explicitly in the implementation.

A *ghost* field is a local variable used only by other parts of the specification.

JML: model methods and classes

```
/*@ ensures \result = (\sum int i; 0 < i && i < a.length; a[i])  
  @  
  @ public model int arraySum(int[] a);  
  @*/
```

```
/*@ public model class JMLSet { ... } @*/
```

Specifications may refer to *model methods* and even entire *model classes* to represent and manipulate desired system properties.

JML provides specifications for the standard Java classes, as well as a library of model classes for mathematical constructions like sets, bags, integers and reals (i.e. of arbitrary size and precision).

Outline

- 1 Introduction
- 2 Samples of JML
- 3 JML Tools**

JML tools: running and testing

JML annotations can be used to drive various runtime checks.

`jmlc` is a compiler which inserts runtime tests for every assertion; if an assertion fails, an error message provides static and dynamic information about the failure.

`jmlunit` creates test classes for `JUnit` based on preconditions, postconditions and invariants. These automatically exercise and test assertions made in the code.

JML annotations also provide formal documentation:

`jmldoc` generates human-readable web pages from JML specifications, extending the existing `javadoc` tool.

JML tools: static analysis

- The *ESC/Java 2* framework carries out a range of static checks on Java programs. These include formal verification of JML annotations using a fully-automated theorem prover.

Controversially, the checker is neither sound nor complete: it warns about many potential bugs, but not all actual bugs.

This is by design: the aim is to find many possible bugs, quickly.

- The *LOOP* tool also attempts to verify JML specifications. Some can be done automatically; where this is not possible it provides *proof obligations* for the interactive PVS theorem prover.
- The *JACK* tool generates proof obligations from JML annotations on Java and JavaCard programs; these can then be tackled with a variety of automatic and semi-automatic theorem provers.

More tools

KeY is dynamic logic tool with a JML front end.

Krakatoa is another verification tool accepting JML.

Houdini will suggest JML annotations and test them with ESC/Java.

Daikon analyses program runs to suggest likely JML invariants.

OpenJML and related new projects are aimed at Java 5 and beyond.

Finally:

Spec# is to C# as ESC/Java 2 is to Java.

The Java Modeling Language

- JML combines model-based and contract specification
- Annotations within code: **requires**, **ensures**, ...
- Provides *model* fields, methods and classes.
- Common input language for many tools: runtime checks, static analyses, test generators, invariant guessers, etc.

Homework

The next lecture will be on ESC/Java 2.

Meanwhile you should try using JML.

- Install some JML tools.

Download the *Common (formerly ISU) JML Tools* from

<http://www.jmlspecs.org/OldReleases/>. Note: these tools **require** Java 1.4.

- Develop a simple recipe card application using JML.
 - design a few classes for representing ingredients, amounts and recipes;
 - start specifying gradually: add simple pre-conditions to methods;
 - write tests by composing methods;
 - see where your code needs additional **requires**, **ensures** or (sometimes) **assume** annotations;
 - consider useful object invariants to constrain fields.
- Post snippets and questions on the blog to discuss.