

Computer Programming: Skills & Concepts (CP)

Loops

Cristina Alexandru

Tuesday 3 October 2017

CP Lect 6 – slide 1 – Tuesday 3 October 2017

This Lecture

- ▶ Precedence of operators.
- ▶ The while statement.
- ▶ The for statement.
- ▶ fibonacci.c

CP Lect 6 – slide 3 – Tuesday 3 October 2017

Summary of Lecture 5

- ▶ if statements
- ▶ boolean conditions
- ▶ nested if
- ▶ refinements of quadratic.c

CP Lect 6 – slide 2 – Tuesday 3 October 2017

A note about operator precedence

In everyday mathematics, when we write $4 + 5 \times 3$, we expect it to mean $4 + (5 \times 3)$, not $(4 + 5) \times 3$.

C does the same: every operator has a *precedence*, and brackets are automatically understood around higher precedence expressions: `*` has higher precedence than `+`, so `4 + 5 * 3` means what you think.

Higher precedence means “gets done first”.

We suggest that you only rely on the following:

- ▶ `*`, `/` and `%` have higher precedence than `+` and `-`
- ▶ arithmetic operators have higher precedence than relational operators

and everywhere else, use brackets to make clear what you mean.

CP Lect 6 – slide 4 – Tuesday 3 October 2017

while

We have already seen our primary *programming construct* for **branching** (doing different things based on the result of a test). This is the `if...else` statement.

In programming, we also need need to **repeat some action** many times until we've reached a suitable stopping point. The `while`-statement allows us to specify this behaviour.

```
while ( condition ) {  
    statement-sequence  
}
```

`while` means "repeat until failure" (of *condition*).
statement-sequence will usually alter some variables involved in *condition*.
Why?

CP Lect 6 – slide 5 – Tuesday 3 October 2017

Fibonacci Numbers

```
0      1  
0 + 1 = 1  
      1 + 1 = 2  
          1 + 2 = 3  
              2 + 3 = 5  
                  3 + 5 = 8  
                      5 + 8 = 13  
                          8 + 13 = 21
```

CP Lect 6 – slide 7 – Tuesday 3 October 2017

Printing a table

Early computers were used for printing mathematical tables. Consider printing a table of squares from 1 to 20:

```
#include <stdlib.h>  
#include <stdio.h>
```

```
int main(void) {  
    int n=1;  
    while (n <= 20) {  
        printf("The square of %4d is %4d.\n", n, n*n);  
        n = n+1;  
    }  
    return EXIT_SUCCESS;  
}
```

The `%4d` in the `printf` means 'print as an integer and pad on the left with spaces to fill up 4 columns'. We'll see other fancy stuff with `printf` later.

CP Lect 6 – slide 6 – Tuesday 3 October 2017

Solving Fibonacci with while

- ▶ We need to keep adding the two previous Fibonacci numbers 'while' we are \leq than `n`
- ▶ We will need a variable (call it `count`) to keep track of our 'current Fibonacci'.
- ▶ Our *condition* for the `while`-statement will compare `count` with `n`.
Need to stop after we have reached the Fibonacci number for `n`.
- ▶ The starting values are 0 (0th Fibonacci number) and 1 (1st Fibonacci number)

CP Lect 6 – slide 8 – Tuesday 3 October 2017

fibonacci.c

```
int main(void) {
    int n, next, count;
    int previous = 0;      /* Fibonacci 0 */
    int current = 1;      /* Fibonacci 1 */
    ...
    /* before here, n has been set to the bound */
    count = 2;
    while (count <= n) {
        next = previous + current; // eg. 2nd fib is = 0 + 1
        previous = current;
        current = next;           // current is reset:
        count++;
    }
    printf("Fibonacci %d is %d\n", n, current);
    return EXIT_SUCCESS;
}
```

CP Lect 6 – slide 9 – Tuesday 3 October 2017

while-statement: Repeat n-times

```
initialise-iterator
while ( not-iterator-endpoint ) {
    work-on-this-value
    next-iterator-value
}
```

It is very common to use while to perform some statements depending on *i* for all values of *i* up to some integer limit (as we did for fibonacci.c).

CP Lect 6 – slide 11 – Tuesday 3 October 2017

running fibonacci.c

```
: ./a.out
Calculate which Fibonacci number? 1
Fibonacci 1 is 1

: ./a.out
Calculate which Fibonacci number? 2
Fibonacci 2 is 1

: ./a.out
Calculate which Fibonacci number? 7
Fibonacci 7 is 13
```

CP Lect 6 – slide 10 – Tuesday 3 October 2017

while-statement

Counting-up:

```
count = 0;
while (count < n) {      could also write count != n
    statement-sequence;
    count++;
}
```

Counting-down:

```
count = n;
while (count > 0) {
    statement-sequence;
    count--;
}
```

Careful about 'fencepost errors': counting up by initializing iterator to 0 and looping while $< n$ does loop n times with values 0, 1, ..., $n-1$.

CP Lect 6 – slide 12 – Tuesday 3 October 2017

The for-loop

Counting up with a for-loop:

```
for (count = 0; count < n; count++) {  
    statement-sequence  
}
```

The general form is:

```
for ( init-expression ; condition ; update-expression ) {  
    statement-sequence  
}
```

which is the same as (apart from one small detail)

```
init-expression ;  
while ( condition ) {  
    statement-sequence  
    update-expression ;  
}
```

We've told the same little lie about general forms as we told with the `if-statement`.

CP Lect 6 – slide 13 – Tuesday 3 October 2017

Prime Numbers

Definition: A prime number is any natural number greater than 1 which has no factors except itself and 1.

Prime: 3, 7, 11

Not Prime: 9 ($3 \cdot 3$), 10 ($2 \cdot 5$)

Simple test for primes:

n is prime if $n > 1$ and there is no integer k between 2 and \sqrt{n} such that $n \% k = 0$.

The `while` and `for` statements are good candidates for writing a prime-testing program `prime.c`

CP Lect 6 – slide 15 – Tuesday 3 October 2017

Fibonacci using for

```
int n, next, count;  
...    // set n to the required Fibonacci number  
int previous = 0;           /* Fibonacci 0 */  
int current = 1;           /* Fibonacci 1 */  
for (count = 2; count <= n; count++) {  
    next = previous + current;  
    previous = current;  
    current = next;  
    // current now the count-th Fibonacci  
}  
// on leaving loop current is now n-th Fibonacci
```

What is the value of `count` after finishing the loop?

CP Lect 6 – slide 14 – Tuesday 3 October 2017

Reading

For precedence of operators, read Section 2.9 of "A Book on C".

Sections 4.8 (`while`) and 4.9 (`for`) of "A Book on C".

There will be some loop-based programming exercises in labsheet 3.

CP Lect 6 – slide 16 – Tuesday 3 October 2017