

Computer Programming: Skills & Concepts (CP1) Programming Languages

22nd November 2010

CP1-27 – slide 1 – 22nd November 2010

Fibonacci in Lisp

```
(defun fibonacci (n)
  (if (or (= n 0) (= n 1))
      1
      (+ (fibonacci (- n 1)) (fibonacci (- n 2))))))
```

- defun- - define a function.
- In functional programming almost *everything* is a function, even at basic level
- Notice in `fibonacci (n)` that we have no variables to store $n-1$ or $n-2$. Instead we apply the *function* - to the arguments n and 1 (and 2 respectively)

CP1-27 – slide 3 – 22nd November 2010

Varieties of Programming Language

- ▶ Procedural/imperative (like C)
 - ▶ Language consists of statements which *act on the state space of variables*.
 - ▶ Functions, procedures common.
- ▶ Functional Languages (eg Haskell, Lisp)
 - ▶ Specify *what* is computed, but abstract away from *how*.
 - ▶ The concept of an evolving state space (of program variables) is *not* explicit.
- ▶ Object-Oriented Languages
 - ▶ Focus is on the organisation and representation of the state space.

CP1-27 – slide 2 – 22nd November 2010

Compilation versus Interpretation

C is usually a *compiled* language:

- Programming cycle is write/compile/run.
- Compiler generates code to run on the hardware of the machine.
- Fast, compact and efficient (once compiled).

Sometimes languages (especially functional) may be *interpreted*:

- The encoding into machine code is done on a step-by-step basis.
- Allows for dynamic creation of variables and data structures.
- Can be good for debugging.
- Slower execution, requires interpreter.

CP1-27 – slide 4 – 22nd November 2010

Imperative/procedural languages

C

- Need to be careful with array bounds (as we know!).
- Allows direct access to memory.
- Good for direct interfacing to hardware and writing device drivers.
- Pointers get you into trouble.

Fortran

- Bit old fashioned, but still used (good for numerical work).
- UK *Met Office Unified Model* - millions of lines of Fortran.
- Limited feature set - less to go wrong.
- Easy to make a fast compiler.

CP1-27 – slide 5 – 22nd November 2010

Functional languages

What are they?

Emphasis is the evaluation of expressions, rather than the execution of commands – `comp.lang.functional`

- ▶ Important in theoretical computer science, not used so often in practice.
- ▶ Haskell is perhaps the most popular functional language.

CP1-27 – slide 7 – 22nd November 2010

Features of Fortran

- No explicit pointers (special case in F90)
 - ▶ Easier to automatically optimise code.
- Very stable numerical libraries available.
- In F77, no dynamic storage allocation.
 - *Cannot do recursion* (but can in F90).
- All variables passed by reference.
 - ▶ Faster than by value.
- Variable dimension array arguments to functions.
 - ▶ Required by many numerical algorithms.
- Built-in complex numbers.

CP1-27 – slide 6 – 22nd November 2010

Sum integers from 1-10

C

```
total = 0;
for (i=1; i<=10; ++i)
    total += i;
```

Functional language.

```
sum [1..10]
```

- ▶ `sum` is a function to compute the sum of a *list* of values.
- ▶ `[1..10]` is an expression representing the list containing the numbers from 1 to 10

CP1-27 – slide 8 – 22nd November 2010

Object-Oriented Languages

CP1-27 – slide 9 – 22nd November 2010

Used in practice

```
int main(void)
{
    Complex_t z, z1, z2, z3, z4;
    z1 = MakeComplex(1.0, -5.0);
    z2 = MakeComplex(3.0, 2.0);
    z3 = MakeComplex(2.0, -7.0);
    z4 = ComplexMultiply(z1, z2);
    z = ComplexSum(z4, z3);

    printf("The modulus of z is %f\n", Modulus(z));
    return EXIT_SUCCESS;
}
```

Evaluating the expression $z = (z1 * z2) + z3$.

CP1-27 – slide 11 – 22nd November 2010

reminder: struct in C

```
typedef struct {
    float re, im;
} Complex_t;

Complex_t ComplexSum(Complex_t z1, Complex_t z2)
/* Returns the sum of z1 and z2 */
{
    Complex_t z;
    z.re = z1.re + z2.re;
    z.im = z1.im + z2.im;
    return z;
}
```

CP1-27 – slide 10 – 22nd November 2010

C++ and objects

C groups similar data into a struct:

- Functions which operate on those data are separate from the data itself.

C++ groups the functions operating on some struct type:

- C++ calls these *classes*.
- An instance of a class is called an *object*.
- The 'functions' don't exist until the object is created.

```
Complex c1, c2, c3 ;
c3 = c1.multiply(c2);
```

CP1-27 – slide 12 – 22nd November 2010

Operator overloading

C++ allows re-definition of standard operators

- eg Complex number multiplication with *.
- Also could define * for matrices etc

```
Complex c1,c2,c3 ;  
c4 = c1 * c2 + c3;
```

CP1-27 – slide 13 – 22nd November 2010

Inheritance

- ▶ Can define generic classes with general properties.
- ▶ Then subclasses can be *derived* from this base class.
- ▶ For example generic class (in C++) for a vehicle:

```
char colour[50] ;  
int numWheels ;  
int start() ;  
int stop() ;
```

- ▶ Derived class for a car:
char typeOfFuel ;

CP1-27 – slide 15 – 22nd November 2010

Common OO Languages

C++

- Extension to the C language.
- Has objects, but also still C pointers and memory access.
- Compiles directly on the machine, like C.

Java

- Cleaner than C++ - no pointers.
- 'Compiles' onto a virtual machine.
- Portable across platforms - and web applets.
- Slower than C++ - and less efficient.

CP1-27 – slide 14 – 22nd November 2010

Object-Oriented design

- ▶ What are classes? - sometimes obvious - complex numbers.
- ▶ Some tasks fit the model very well.
 - ▶ Graphics, 'pipelined' processes.
- ▶ Sometimes difficult to see where the objects are in a design.
 - ▶ Some tasks are just a sequence of functions.

CP1-27 – slide 16 – 22nd November 2010

Common Data Structures

Queue - a dynamic list of items

- ▶ first-in is first-out.

Stack - first-in, last-out.

Both these structures have implementations with faster access than arrays (because no need for *random* access).

CP1-27 – slide 17 – 22nd November 2010

C++ templates

- ▶ Way of writing objects (eg data structures) that is independent of the type that it works with.
- ▶ Write a generic queue *template* with a type parameter T.
 - ▶ T can be replaced with any data type.
 - ▶ (eg) Our queue can be used with any data type.
- ▶ Change details of template ⇒ all queues automatically change.
- ▶ Very useful for common operations.
 - ▶ lists, sorting, searching, queues etc.
- ▶ Useful set of templates provided in the *Standard template library*.

CP1-27 – slide 19 – 22nd November 2010

Implementing a Queue

You are implementing a queue for an accounting system.

You implement a queue for customer records.

Now you need a queue for messages too?

You have to re-write the queue to work with the new 'message' type?

CP1-27 – slide 18 – 22nd November 2010

Examples: vectors in C++ (using arrays)

```
void f(int a[], int s) {
    /* do something with a; the size of a is s */
    for (int i = 0; i < s; ++i)
        a[i] = i;
}

int arr1[20];
int arr2[10];

void g() {
    f(arr1, 20);
    f(arr2, 20); /* CRASH !! */
}
```

CP1-27 – slide 20 – 22nd November 2010

Using arrays

```
#define S 10;

void f(int s) {
    int a1[s]; /* error */
    int a2[S]; /* ok */
    /* Arrays have to be declared at compile time.
     * ...
    */
}
```

CP1-27 – slide 21 – 22nd November 2010

Vector template

```
void f(vector<int>& v) {
    /* do something with v */
    for (int i = 0; i<v.size(); ++i)
        v[i] = i;
}

vector<int> v1(20);
vector<int> v2(10);

void g() {
    f(v1);
    f(v2);
}
```

Equivalent code with C++ vectors

CP1-27 – slide 23 – 22nd November 2010

C++ vectors

```
const int S = 10;
void g(int s) {
    vector<int> v1(s); /* ok */
    vector<int> v2(S); /* ok */

    v2.resize(v2.size()*2);
    /* Can resize arrays during runtime. */
}
```

CP1-27 – slide 22 – 22nd November 2010

Summary

C

- ▶ Good general purpose language.
- ▶ Good for interfacing with hardware.
- ▶ Not good for big projects(organisationally).

Fortran

- ▶ Good for numerical computation.
- ▶ Stable, well-supported.

C++

- ▶ Use with the standard template library.

Java

- ▶ Widely used, good for web applets, and neater than C++
- ▶ Not as fast or efficient as C++.

CP1-27 – slide 24 – 22nd November 2010