

Computer Programming: Skills & Concepts (INF-1-CP1) Variables; scanf; Conditional Execution

30th September, 2010

- ▶ Integer arithmetic in C.
- ▶ Converting pre-decimal money to decimal.
- ▶ The `int` type and its operators.
- ▶ Numeric *variables*.

CP1-5 – slide 1 – 30th September, 2010

Tutorials

- ▶ Start next week.
- ▶ Tutorial groups can be viewed from the appropriate webpage:
<https://www.inf.ed.ac.uk/admin/itodb/mgroups/stus/cp1.html>
- ▶ Contact the ITO if your tutorial group clashes with another lecture, or if you have not been assigned to any group (and are officially registered for CP1).

CP1-5 – slide 2 – 30th September, 2010

CP1-5 – slide 3 – 30th September, 2010

Today's lecture

- ▶ Assigning and Re-assigning variables;
- ▶ The `if`-statement.
- ▶ Fixing the `1sd` program.
- ▶ Input using `scanf`.

CP1-5 – slide 4 – 30th September, 2010

Reprise: Variables in C

Variables are “boxes” to store a value

- ▶ Bit like variables in mathematics (may have varying assignments);
- ▶ A C variable holds a single value;
- ▶ *Have to define what type of item a variable will hold*, eg:
`int x;` or maybe `int x = 2;`
- ▶ In C, the value can change over time as a result of *program statements* which act on the variable, eg:
`x = x + 1;`

CP1-5 – slide 5 – 30th September, 2010

Reprise: Updating Variables

<code>int n;</code>	<code><-- n is defined</code>
<code>n = 2 * n;</code>	<code><-- n is doubled (from what? ERR</code>
<code>n = 9;</code>	<code><-- n gets the value 9</code>
<code>n = n + 1;</code>	<code><-- n gets the value 9+1, ie 10</code>
<code>n = 22 * n + 1;</code>	<code><-- n gets the value ?</code>
<code>++n;</code>	<code><-- n gets the value ?</code>
<code>n++;</code>	<code><-- n gets the value ?</code>

CP1-5 – slide 6 – 30th September, 2010

The Assignment Statement

A variable is updated by an *assignment statement*

```
n = 22 * n + 1;
```

The left-hand side `n` is the variable being updated.

The right-hand side `22 * n + 1` is an *expression* for the new value.

First compute the expression, *then* change the variable to the new value.

CP1-5 – slide 7 – 30th September, 2010

The Assignment Statement

A variable is updated by an *assignment statement*

```
n = 22 * n + 1;
```

The left-hand side `n` is the variable being updated.

The right-hand side `22 * n + 1` is an *expression* for the new value.

First compute the expression, *then* change the variable to the new value.

WARNING: C also allows assignments as *expressions*:

```
(n = 22 * n + 1)
```

is an expression which computes `22 * n + 1`, sets `n` to the result, and overall computes to the new value of `n`.

So you can write:

```
m = (n = 2*n) + 3;
```

DON'T do this! You may see assignment expressions, but they are never necessary.

Main danger is doing it by accident!

CP1-5 – slide 8 – 30th September, 2010

Shorthand Assignment Operators

C programmers are lazy! C provides shorthand for some very common assignments, for example:

```
x += 7;           // same as x = x + 7;
x *= 2;           // same as x = x * 2;
x -= 3;           // same as x = x - 3;
x /= 3;           // same as x = x / 3;
```

Note that, e.g. `x *= y + z;` means `x = x * (y + z);`.

Use these only if you're completely confident with them.

CP1-5 – slide 9 – 30th September, 2010

Shorthand Assignment Expressions

For even greater laziness, C provides some special assignment *expressions*. Unlike general assignment expressions, these are very commonly used.

`n++`

is an expression which computes to the value of `n`, and **afterwards** increases `n` by 1.

```
int n = 2, m = 3;
```

```
n++;           // n is now 3.
m = n++;       // m is now 3, n is now 4
```

CP1-5 – slide 10 – 30th September, 2010

Shorthand Assignment Expressions (2)

Similarly `n--` computes to value of `n` and **then** decreases `n` by 1.

Much less often you will see `++n` and `--n`:

first increase/decrease `n` by 1, and then compute to the new value of `n`.

Warning: Easy to get confused, and/or run into subtleties of C. Suggest using these only in **for**-loops etc. (See later.)

CP1-5 – slide 11 – 30th September, 2010

if statement – basic form

```
if ( <condition> ) {
    <statement-sequence>
}
else {
    <statement-sequence>
}
```

- ▶ Allows two different strands of execution, depending on the result of evaluating `<condition>`.
- ▶ `<condition>` is any boolean expression.
- ▶ `<statement-sequence>` is any legal sequence of C statements.
- ▶ The `else { ... }` is optional.

CP1-5 – slide 12 – 30th September, 2010

MAX of two integer variables

```
if (x > y) {
    printf("MAX is %d: ", x);
} else {
    printf("MAX is %d: ", y);
}
```

- ▶ $(x > y)$ is the condition to be evaluated. It evaluates to True only if x is larger than y .
- ▶ *where did we get the values x and y ?*

CP1-5 – slide 13 – 30th September, 2010

Conditions on integers

C has the standard mathematical relations $<$, $>$, $==$, $<=$, $>=$.
Remember that 'is equal to' $==$ is a double equals sign!

Examples:

```
a < 0           // a is negative
a == 2*b
a + c >= b
x % 6 == 0      // x is a multiple of 6
```

CP1-5 – slide 14 – 30th September, 2010

Fixing the old money → new money calculation

We did (this year: should have done)

```
totaloldpence = oldpence + shillings * OLD_PENCE_PER_SHILLING;
newpence = ( totaloldpence * NEW_PENCE_PER_POUND )
           / OLD_PENCE_PER_POUND;
```

Probably we don't like the rounding:

2 old pence converts to $(2 * 100)/240 = 0$ in integers.

But 2d is really $\frac{5}{6}$ p, so we should round to 1p.

Standard rounding is round $\frac{1}{2}$ or greater up, less than $\frac{1}{2}$ down.

We can add the lines

```
if ( ( totaloldpence * NEW_PENCE_PER_POUND ) % OLD_PENCE_PER_POUND
    >= (OLD_PENCE_PER_POUND/2) ) {
    newpence += 1;
}
```

Exercise: do the same without using `if`.

Harder exercise: what hidden assumption have I made above?

CP1-5 – slide 15 – 30th September, 2010

Fixing the printing of new pence

We did:

```
printf("is %d.%d in new money\n",pounds,newpence);
```

But this prints 4 pounds and 1 penny as 4.1, not 4.01. Fix:

```
printf(" is %d.");
if ( newpence < 10 ) {
    printf("0%d",newpence);
} else {
    printf("%d",newpence);
}
printf(" in new money\n");
```

CP1-5 – slide 16 – 30th September, 2010

We did:

```
printf("is %d.%d in new money\n",pounds,newpence);
```

But this prints 4 pounds and 1 penny as 4.1, not 4.01. Fix:

```
printf(" is %d.");
if ( newpence < 10 ) {
    printf("0%d",newpence);
else {
    printf("%d",newpence);
}
printf(" in new money\n");
```

Actually, there's an easier way, with fancier features of printf.

```
printf("is %d.%02d is new money\n",pounds,newpence);
```

CP1-5 – slide 17 – 30th September, 2010

Input with scanf

scanf is the twin of printf. Reads numbers from input and stores them in variables.

But scanf requires a “&” before its arguments.

(Explanation later in the course...)

```
int x;
scanf("%d", &x);
printf("%d", x);
```

For example:

```
#include <stdlib.h>
#include <stdio.h>

int main(void) {
    int x, y;
    printf("Input the two integers: ");
    scanf("%d", &x);
    scanf("%d", &y);
    if (x > y) {
        printf("MAX is %d: ", x);
    } else {
        printf("MAX is %d: ", y);
    }
    return EXIT_SUCCESS;
}
```

CP1-5 – slide 19 – 30th September, 2010