

Requirements engineering

Paul Jackson

School of Informatics
University of Edinburgh

What are requirements?

The requirements of a system are the description of

- ▶ the **services** that a system should provide
- ▶ the **constraints** on its operation

Requirements reflect needs of customer

Requirements try to avoid design, expressing **what** is desired, not **how** what is desired should be realised

Requirements described at differing levels of detail, depending on the intended readers:

User requirements vs. **System** requirements

Whose requirements?

Requirements are usually relevant to multiple **stakeholders**:

- ▶ End users
- ▶ Customers paying for software
- ▶ Government regulators
- ▶ System architects
- ▶ Software developers
- ▶ Software testers
- ▶ ...

Input from stakeholders needed when developing requirements.
But

- ▶ They may find it difficult to articulate their requirements.
- ▶ They may place different priorities on requirements

Requirements documents need to be clear about their target audience(s).

Requirements classification

Traditional to distinguish *functional* from *non-functional* requirements.

Functional requirements (*services*): What the system should do.

Non-functional requirements (*constraints*): How fast it should do it; how seldom it should fail; what standards it should conform to; how easy it is to use; etc.

Non-functional requirements may be more important than functional requirements!

- ▶ Can be workarounds for functional requirements
- ▶ User experience often shaped by non-functional.

Distinction not always clear-cut

- ▶ **Security** might initially be a non-functional requirement, but, when requirements refined, it might result in addition of authorisation functionality

Requirements capture processes

Process activities include

- ▶ Requirements elicitation
- ▶ Requirements analysis
- ▶ Requirements specification
- ▶ Requirements validation

Activities often overlapping, not in strict sequence, and iterated.

Several approaches possible for each activity. Choice is very dependent on nature of software developed and overall software development process.

Faulty requirement capture can have huge knock-on consequences later in development process. One motivation for incremental nature of Agile processes.

Requirements elicitation sources

- ▶ **Goals:** high-level objectives of software
- ▶ **Domain Knowledge:** Essential for understanding requirements
- ▶ **Stakeholders**
- ▶ **Business rules:** E.g. Uni regulations for course registration
- ▶ **Operational Environment:** E.g. concerning timing and performance
- ▶ **Organisational Environment:** How does software fit with existing practices?

(From SWEBOK V3, Ch1)

Requirements elicitation techniques

- ▶ Interviews
- ▶ Scenarios
- ▶ Prototypes
- ▶ Facilitated meetings
- ▶ Observation

Requirements elicitation: interviews

Traditional method: ask them what they want, or currently do

Can be challenging:

- ▶ Jargon confusing
- ▶ Interviewees omit information obvious to them

Good techniques include

- ▶ Being open minded: requirements may differ from those pre-conceived,
- ▶ Using leading questions, e.g. from first-cut proposal for requirements

Requirements elicitation: scenarios

Scenarios are typical possible interactions with the system

- ▶ Provide a context' or framework for questions.
- ▶ Allow “what if” or “how would you do this” questions.
- ▶ Examples Include [use cases](#) and [user stories](#)

Requirements elicitation: prototypes

Can include

- ▶ screen mock-ups
- ▶ storyboards
- ▶ early versions of systems

Like scenarios, but more “real”. High quality feedback. Often help to resolve ambiguities.

Requirements elicitation: facilitated meetings

Get discussion going with multiple stakeholders in a structured manner, to refine requirements

Helps with:

- ▶ Requirements that are not about individual activities
- ▶ Surfacing / resolving conflicts

Needs a trained facilitator.

Requirements elicitation: observation

Immersive method. Expensive.

Helps with:

- ▶ Surfacing complex / subtle tasks and processes
- ▶ Finding the nuances that people never tell you

Requirements analysis

Requirements elicitation often produces a set of requirements that

- ▶ *contradicts* itself (even the same stakeholder may request contradictory things)
- ▶ contains *conflicts* (e.g., one stakeholder wants one-click access to data, another requires password protection)
- ▶ is *too large* for all requirements to be implemented.

Requirements analysis is the process of getting to a single consistent set of requirements, classified and prioritised usefully, that will actually be implemented.

Requirements specification

Requirements almost always need to be recorded, maybe using:

- ▶ very informal means e.g. handwritten cards, in agile development
- ▶ a document written in careful structured English, e.g.
3.1.4.4 The system shall...
- ▶ use case models with supporting text
- ▶ a formal specification in a mathematically-based language.

Probably reviewed, may be contractual.

Requirements validation

Checks include:

- ▶ **Validity checks:** do requirements reflect real needs? Are they up to date?
- ▶ **Consistency checks**
- ▶ **Completeness checks**
- ▶ **Realism checks:** can requirements be met using time and money budgets?
- ▶ **Verifiability:** is it possible to test that each requirement is met?
 - ▶ Applies to both functional and non-functional requirements. Non functional requirements must be measurable.

User Stories

Used in “agile” (low ceremony, lightweight) development processes, e.g. Extreme Programming (XP), to document requirements

User stories are brief, written by the customer on an index card.

E.g.

10. User A leaves the office for a short time (vacation etc.) and assigns his access privileges to user B, so B can take care of A's tasks while A is gone. *Source: user; Priority: M*

Pros and cons of user stories

Pros:

- ▶ can really be owned by the customer: so more likely to be correct
- ▶ quick to write and change
- ▶ small, so relatively easy to estimate and prioritise

Cons:

- ▶ May be incomplete, inconsistent
- ▶ Only work in conjunction with good access to the customer
- ▶ Not suitable to form the basis of a contract

Now we go on to medium-ceremony approaches.

Reading

Required: *SWEBOK V3*, Chapter 1, Software Requirements.

Suggested: *Sommerville*, Part 1 chapter on Requirements Engineering.