

Intelligent Agents and their Environments

Jacques Fleuriot

School of
informatics
University of Edinburgh

Informatics 2D



Examples of Agents 1

- **Agent:** mail sorting robot
- **Environment:** conveyor belt of letters
- **Goals:** route letter into correct bin
- **Percepts:** array of pixel intensities
- **Actions:** route letter into bin

Informatics 2D



Structure of Intelligent Agents

An agent:

- Perceives its *environment*,
- Through its *sensors*,
- Then achieves its *goals*
- By acting on its environment via *actuators*.

Informatics 2D

Examples of Agents 2

- **Agent:** intelligent house
- **Environment:**
 - occupants enter and leave house,
 - occupants enter and leave rooms;
 - daily variation in outside light and temperature
- **Goals:** occupants warm, room lights are on when room is occupied, house energy efficient
- **Percepts:** signals from temperature sensor, movement sensor, clock, sound sensor
- **Actions:** room heaters on/off, lights on/off

Informatics 2D



Examples of Agents 3

- **Agent:** automatic car.
- **Environment:** streets, other vehicles, pedestrians, traffic signals/lights/signs.
- **Goals:** safe, fast, legal trip.
- **Percepts:** camera, GPS signals, speedometer, sonar.
- **Actions:** steer, accelerate, brake.

Side info: http://en.wikipedia.org/wiki/2005_DARPA_Grand_Challenge

Informatics 2D

Simple Reflex Agents


- Action depends only on immediate percepts.
- Implement by *condition-action rules*.

Example:

- **Agent:** Mail sorting robot
- **Environment:** Conveyor belt of letters
- **Rule:** e.g. *city=Edin* → *put Scotland bag*

Informatics 2D

Simple Reflex Agents



function SIMPLE-REFLEX-AGENT(*percept*)

returns *action*

persistent: *rules* (set of condition-action rules)
state ← INTERPRET-INPUT(*percept*)
rule ← RULE-MATCH(*state*, *rules*)
action ← rule.ACTION

return *action*

Informatics 2D

Model-Based Reflex Agents


- Action may depend on history or unperceived aspects of the world.
- Need to maintain *internal world model*.

Example:

- **Agent:** robot vacuum cleaner
- **Environment:** dirty room, furniture.
- **Model:** map of room, which areas already cleaned.
- Sensor/model tradeoff.

Informatics 2D

Model-Based Reflex Agents



```

function REFLEX-AGENT-WITH-STATE(percept)
  returns action
  persistent: state, description of current world state
               model, description of how the next state depends on
                 current state and action
               rules, a set of condition-action rules
               action, the most recent action, initially none
  state ← UPDATE-STATE(state, action, percept, model)
  rule ← RULE-MATCH(state, rules)
  action ← rule.ACTION
  return action
    
```

Informatics 2D



Goal-Based Agents



- Agents so far have fixed, implicit goals.
- We want agents with variable goals.
- Forming plans to achieve goals is later topic.


Example:

- **Agent:** robot maid
- **Environment:** house & people.
- **Goals:** clean clothes, tidy room, table laid, etc

Informatics 2D



Goal-Based Agents



Informatics 2D



Utility-Based Agents



- Agents so far have had a single goal.
- Agents may have to juggle conflicting goals.
- Need to optimise utility over a range of goals.
- **Utility:** measure of *goodness* (a real number).
- Combine with probability of success to get *expected utility*.


Example:

- **Agent:** automatic car.
- **Environment:** roads, vehicles, signs, etc.
- **Goals:** stay safe, reach destination, be quick, obey law, save fuel, etc.

Informatics 2D



Utility-Based Agents



We will not be covering utility-based agents, but this topic is discussed in Russell & Norvig, Chapters 16 and 17

Informatics 2D

Mid Lecture Exercise

Consider a chess playing program.
What sort of agent would it need to be?

Informatics 2D

Learning Agents

How do agents improve their performance in the light of experience?

- Generate problems which will test performance.
- Perform activities according to rules, goals, model, utilities, etc.
- Monitor performance and identify non-optimal activity.
- Identify and implement improvements.

We will not be covering learning agents, but this topic is discussed in Russell & Norvig, Chapters 18-21.

Informatics 2D

Solution

- **Simple-reflex agent:** but some actions require some memory (e.g. castling in chess - <http://en.wikipedia.org/wiki/Castling>).
- **Model-based reflex agent:** but needs to reason about future.
- **Goal-based agent:** but only has one goal.
- **Utility-based agent:** might consider multiple goals with limited lookahead.

Informatics 2D

Types of Environment 1



- **Fully Observable vs. Partially Observable:**
Observable: agent's sensors describe environment fully.
Playing chess with a blindfold.
- **Deterministic vs. Stochastic:**
Deterministic: next state fully determined by current state and agent's actions.
Chess playing in a strong wind.

An environment may appear stochastic if it is only partially observable.

Informatics 2D



Types of Environment 2



- **Episodic vs. Sequential:**
Episodic: next episode does not depend on previous actions.
Mail-sorting robot vs crossword puzzle.
- **Static vs. Dynamic:**
Static: environment unchanged while agent deliberates.
Robot car vs chess.
Crossword puzzle vs tetris.

Informatics 2D



Types of Environment 3



- **Discrete vs. Continuous:**
Discrete: percepts, actions and episodes are discrete.
Chess vs robot car.
- **Single Agent vs. Multi-Agent:**
How many objects must be modelled as agents.
Crossword vs poker.

Element of choice over which objects are considered agents.

Informatics 2D



Types of Environment 4



- **An agent might have any combination of these properties:**
 - from “benign” (i.e., fully observable, deterministic, episodic, static, discrete and single agent)
 - to “chaotic” (i.e., partially observable, stochastic, sequential, dynamic, continuous and multi-agent).
- **What are the properties of the environment that would be experienced by**
 - a mail-sorting robot?
 - an intelligent house?
 - a car-driving robot?

Informatics 2D



Summary



- Simple reflex agents
- Model-based reflex agents
- Goal-based agents
- Utility-based agents
- Learning agents
- Properties of environments

Informatics 2D

