



# Search Strategies

R&N: § 3.3, 3.4, 3.7

Jacques Fleuriot



Informatics 2D



# Outline

- Uninformed search strategies use only information in problem definition
- Breadth-first search
- Depth-first search
- Depth-limited and Iterative deepening search

Informatics 2D



# Search strategies

- A **search strategy** is defined by picking the order of node expansion – nodes are taken from the *frontier*
- Strategies are evaluated along the following dimensions:
  - **completeness**: does it always find a solution if one exists?
  - **time complexity**: number of nodes generated
  - **space complexity**: maximum number of nodes in memory
  - **optimality**: does it always find a least-cost solution?
- Time and space complexity are measured in terms of
  - *b*: maximum branching factor of the search tree
  - *d*: depth of the least-cost solution
  - *m*: maximum depth of the state space (may be  $\infty$ )


Informatics 2D



# Recall: Tree Search

```


function TREE-SEARCH(problem) returns a solution, or failure
  initialize the frontier using the initial state of problem
  loop do
    if the frontier is empty then return failure
    choose a leaf node and remove it from the frontier
    if the node contains a goal state then return the corresponding solution
    expand the chosen node, adding the resulting nodes to the frontier
  
```





## Repeated states

Failure to detect repeated states can turn a **linear** problem into an **exponential** one!



Informatics 2D



## Graph search

```

function GRAPH-SEARCH(problem) returns a solution, or failure
  initialize the frontier using the initial state of problem
  initialize the explored set to be empty
  loop do
    if the frontier is empty then return failure
    choose a leaf node and remove it from the frontier
    if the node contains a goal state then return the corresponding solution
    add the node to the explored set
    expand the chosen node, adding the resulting nodes to the frontier
    only if not in the frontier or explored set

```

Augment TREE-SEARCH with a new data-structure:


- the **explored set** (closed list), which remembers every expanded node
- newly expanded nodes already in explored set are discarded

Informatics 2D



## Breadth-first search

- Expand shallowest unexpanded node
- **Implementation:**
  - *frontier* is a FIFO queue, i.e., new successors go at end




Informatics 2D



## Breadth-first search

- Expand shallowest unexpanded node
- **Implementation:**
  - *frontier* is a FIFO queue, i.e., new successors go at end




Informatics 2D



## Breadth-first search



- Expand shallowest unexpanded node
- **Implementation:**
  - *frontier* is a FIFO queue, i.e., new successors go at end




Informatics 2D



## Breadth-first search



- Expand shallowest unexpanded node
- **Implementation:**
  - *frontier* is a FIFO queue, i.e., new successors go at end



Informatics 2D



## Breadth-first search algorithm



```

function BREADTH-FIRST-SEARCH(problem) returns a solution, or failure
  node ← a node with STATE = problem.INITIAL-STATE, PATH-COST = 0
  if problem.GOAL-TEST(node.STATE) then return SOLUTION(node)
  frontier ← a FIFO queue with node as the only element
  explored ← an empty set
  loop do
    if EMPTY?(frontier) then return failure
    node ← POP(frontier) /* chooses the shallowest node in frontier */
    add node.STATE to explored
    for each action in problem.ACTIONS(node.STATE) do
      child ← CHILD-NODE(problem, node, action)
      if child.STATE is not in explored or frontier then
        if problem.GOAL-TEST(child.STATE) then return SOLUTION(child)
        frontier ← INSERT(child, frontier)
  
```

Informatics 2D



## Properties of breadth-first search



- **Complete?** Yes (if  $b$  is finite)
- **Time?**  $b+b^2+b^3+\dots+b^d = O(b^d)$  (worst-case)
- **Space?**  $O(b^d)$  (keeps every node in memory)
- **Optimal?** Yes (if cost = 1 per step)

Space is the bigger problem (more than time)


Informatics 2D





## Depth-first search

- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search

- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search

- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search

- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search



- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search



- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search



- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search



- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D





## Depth-first search

- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search

- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search

- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front




Informatics 2D



## Depth-first search

- Expand deepest unexpanded node
- Implementation:
  - *frontier* = LIFO queue, i.e., put successors at front



Informatics 2D



## Properties of depth-first search



- **Complete?** No: fails in infinite-depth spaces, spaces with loops
  - Modify to avoid repeated states along path
    - complete in finite spaces
- **Time?**  $O(b^m)$ : terrible if  $m$  is much larger than  $d$ 
  - but if solutions are dense, may be much faster than breadth-first
- **Space?**  $O(bm)$ , i.e., linear space!
- **Optimal?** No

Informatics 2D



## Solution



- **Breadth-First:**
  - When completeness is important.
  - When optimal solutions are important.
- **Depth-First:**
  - When solutions are dense and low-cost is important, especially space costs.

Informatics 2D



## Mid-Lecture Exercise



- Compare breadth-first and depth-first search.
  - When would breadth-first be preferable?
  - When would depth-first be preferable?

Informatics 2D



## Depth-limited search



This is depth-first search with **depth limit  $l$** , i.e., nodes at depth  $l$  have no successors

Recursive implementation:

```
function DEPTH-LIMITED-SEARCH(problem, limit) returns a solution, or failure/cutoff
  return RECURSIVE-DLS(MAKE-NODE(problem.INITIAL-STATE), problem, limit)

function RECURSIVE-DLS(node, problem, limit) returns a solution, or failure/cutoff
  if problem.GOAL-TEST(node.STATE) then return SOLUTION(node)
  else if limit = 0 then return cutoff
  else
    cutoff_occurred? ← false
    for each action in problem.ACTIONS(node.STATE) do
      child ← CHILD-NODE(problem, node, action)
      result ← RECURSIVE-DLS(child, problem, limit - 1)
      if result = cutoff then cutoff_occurred? ← true
      else if result ≠ failure then return result
    if cutoff_occurred? then return cutoff else return failure
```

Informatics 2D



# Iterative deepening search



```

function ITERATIVE-DEEPENING-SEARCH(problem) returns a solution, or failure
for depth = 0 to  $\infty$  do
    result  $\leftarrow$  DEPTH-LIMITED-SEARCH(problem, depth)
    if result  $\neq$  cutoff then return result
    
```

Informatics 2D




# Iterative deepening search $l=0$



Informatics 2D




# Iterative deepening search $l=1$



Informatics 2D




# Iterative deepening search $l=2$



Informatics 2D



## Iterative deepening search $l=3$



Informatics 2D



## Iterative deepening search



- Number of nodes generated in an iterative deepening search to depth  $d$  with branching factor  $b$ :

$$N_{IDS} = (d)b + (d-1)b^2 + \dots + (2)b^{d-1} + (1)b^d$$

- Some cost associated with generating upper levels multiple times
- Example: For  $b = 10$ ,  $d = 5$ ,
  - $N_{BFS} = 10 + 100 + 3,000 + 10,000 + 100,000 = 111,110$
  - $N_{IDS} = 50 + 400 + 3,000 + 20,000 + 100,000 = 123,450$
- Overhead =  $(123,450 - 111,110)/111,110 = 11\%$

Informatics 2D



## Properties of iterative deepening search



- Complete?** Yes
- Time?**  $(d)b + (d-1)b^2 + \dots + (1)b^d = O(b^d)$
- Space?**  $O(bd)$
- Optimal?** Yes, if step cost = 1

Informatics 2D



## Summary of algorithms



| Criterion | Breadth-First | Uniform-Cost            | Depth-First | Depth-Limited | Iterative Deepening |
|-----------|---------------|-------------------------|-------------|---------------|---------------------|
| Complete? | Yes           | Yes                     | No          | No            | Yes                 |
| Time      | $O(b^d)$      | $O(b^{(C^*/\epsilon)})$ | $O(b^m)$    | $O(b^l)$      | $O(b^d)$            |
| Space     | $O(b^d)$      | $O(b^{(C^*/\epsilon)})$ | $O(bm)$     | $O(bl)$       | $O(bd)$             |
| Optimal?  | Yes           | Yes                     | No          | No            | Yes                 |

Informatics 2D



# Summary



- Variety of uninformed search strategies:
  - breadth-first, depth-first, iterative deepening
- Iterative deepening search uses only linear space and not much more time than other uninformed algorithms

Informatics 2D

