

Operating Systems

Synchronization

Lecture 5
Michael O'Boyle


Temporal relations

User view of parallel threads

- Instructions executed by a single thread are totally ordered
 - $A < B < C < \dots$
- In absence of **synchronization**,
 - instructions executed by distinct threads must be considered unordered / simultaneous
 - Not $X < X'$, and not $X' < X$

Hardware largely supports this

Example



Y-axis is “time.”

*Could be one CPU, could
be multiple CPUs (cores).*

- $A < B < C$
- $A' < B'$
- $A < A'$
- $C == A'$
- $C == B'$


Critical Sections / Mutual Exclusion

- Sequences of instructions that may get incorrect results if executed simultaneously are called **critical sections**
- **Race condition** results depend on timing
- **Mutual exclusion** means “not simultaneous”
 - $A < B$ or $B < A$
 - We don’t care which
- Forcing mutual exclusion between two critical section executions
 - is sufficient to ensure correct execution
 - guarantees ordering

Critical sections


→ is the "happens-before" relation

T1 T2




Possibly incorrect

T1 T2



Correct

T1 T2



Correct

When do critical sections arise?

- One common pattern:
 - read-modify-write of
 - a shared value (variable)
 - in code that can be executed by concurrent threads
- Shared variable:
 - Globals and heap-allocated variables
 - NOT local variables (which are on the stack)

Race conditions

- A program has a **race condition** (data race) if the result of an executing depends on timing
 - i.e., is non-deterministic
- Typical symptoms
 - I run it on the same data, and sometimes it prints 0 and sometimes it prints 4
 - I run it on the same data, and sometimes it prints 0 and sometimes it crashes

Example: shared bank account

- Suppose we have to implement a function to withdraw money from a bank account:

```
int withdraw(account, amount) {  
    int balance = get_balance(account);      // read  
    balance -= amount;                      // modify  
    put_balance(account, balance);          // write  
    spit out cash;  
}
```

- Now suppose that you and your partner share a bank account with a balance of £100.00
 - what happens if you both go to separate CashPoint machines, and simultaneously withdraw £10.00 from the account?

- Assume the bank's application is multi-threaded
- A random thread is assigned a transaction when that transaction is submitted

```
int withdraw(account, amount) {  
    int balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    spit out cash;  
}
```

```
int withdraw(account, amount) {  
    int balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    spit out cash;  
}
```

Interleaved schedules

- The problem is that the execution of the two threads can be interleaved:

Execution sequence
as seen by CPU

```
balance = get_balance(account);  
balance -= amount;
```

context switch

```
balance = get_balance(account);  
balance -= amount;  
put_balance(account, balance);  
spit out cash;
```

context switch

```
put_balance(account, balance);  
spit out cash;
```

- What's the account balance after this sequence?
 - who's happy, the bank or you?
- How often is this sequence likely to occur?

Other Execution Orders

- Which interleavings are ok? Which are not?

```
int withdraw(account, amount) {  
    int balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    spit out cash;  
}
```

```
int withdraw(account, amount) {  
    int balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    spit out cash;  
}
```

How About Now?

```
int xfer(from, to, machine) {  
    withdraw( from, machine );  
    deposit( to, machine );  
}
```

```
int xfer(from, to, machine) {  
    withdraw( from, machine );  
    deposit( to, machine );  
}
```

- Moral:
 - Interleavings are hard to reason about
 - We make lots of mistakes
 - Control-flow analysis is hard for tools to get right
 - Identifying critical sections and ensuring mutually exclusive access can make things easier

Another example

```
i++;
```

```
i++;
```

Correct critical section requirements

- Correct critical sections have the following requirements
 - mutual exclusion
 - at most one thread is in the critical section
 - progress
 - if thread T is outside the critical section, then T cannot prevent thread S from entering the critical section
 - bounded waiting (no starvation)
 - if thread T is waiting on the critical section, then T will eventually enter the critical section
 - assumes threads eventually leave critical sections
 - performance
 - the overhead of entering and exiting the critical section is small with respect to the work being done within it


Mechanisms for building critical sections

- Spinlocks
 - primitive, minimal semantics; used to build others
- Semaphores (and non-spinning locks)
 - basic, easy to get the hang of, somewhat hard to program with
- Monitors
 - higher level, requires language support, implicit operations
 - easier to program with; Java “`synchronized()`” as an example
- Messages
 - simple model of communication and synchronization based on (atomic) transfer of data across a channel
 - direct application to distributed systems

Locks

- A lock is a memory object with two operations:
 - `acquire()`: obtain the right to enter the critical section
 - `release()`: give up the right to be in the critical section
- `acquire()` prevents progress of the thread until the lock can be acquired
- Note: terminology varies: acquire/release, lock/unlock

Locks: Example



Acquire/Release

- Threads pair up calls to `acquire()` and `release()`
 - between `acquire()` and `release()`, the thread **holds** the lock
 - `acquire()` does not return until the caller “owns” (holds) the lock
 - at most one thread can hold a lock at a time
- What happens if the calls aren’t paired
 - I acquire, but neglect to release?
- What happens if the two threads acquire different locks
 - I think that access to a particular shared data structure is mediated by lock A, and you think it’s mediated by lock B?
- What is the right granularity of locking?

Using locks

```
int withdraw(account, amount) {  
    acquire(lock);  
    balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    release(lock);  
    spit out cash;  
}
```

} critical section

```
acquire(lock)  
balance = get_balance(account);  
balance -= amount;
```

```
acquire(lock)
```

```
put_balance(account, balance);  
release(lock);
```

```
balance = get_balance(account);  
balance -= amount;  
put_balance(account, balance);  
release(lock);  
spit out cash;
```

```
spit out cash;
```

- What happens when green tries to acquire the lock?

Spinlocks

- How do we implement spinlocks? Here's one attempt:

```
struct lock_t {  
    int held = 0;  
}  
  
void acquire(lock) {  
    while (lock->held);  
    lock->held = 1;  
}  
  
void release(lock) {  
    lock->held = 0;  
}
```

the caller "busy-waits",
or spins, for lock to be
released ⇒ hence spinlock

- Race condition in acquire

Implementing spinlocks

- Problem is that implementation of spinlocks has critical sections, too!
 - the acquire/release must be **atomic**
 - atomic == executes as though it could not be interrupted
 - code that executes “all or nothing”
 - Compiler can hoist code that is invariant
- Need help from the hardware
 - atomic instructions
 - test-and-set, compare-and-swap, ...

Spinlocks: Hardware Test-and-Set

- CPU provides the following as **one atomic instruction**:

```
bool test_and_set(bool *flag) {  
    bool old = *flag;  
    *flag = True;  
    return old;  
}
```

- Remember, this is a single atomic instruction ...

Implementing spinlocks using Test-and-Set

- So, to fix our broken spinlocks:

```
struct lock {  
    int held = 0;  
}  
void acquire(lock) {  
    while(test_and_set(&lock->held));  
}  
void release(lock) {  
    lock->held = 0;  
}
```

- mutual exclusion? (at most one thread in the critical section)
- progress? (T outside cannot prevent S from entering)
- bounded waiting? (waiting T will eventually enter)
- performance? (low overhead (modulo the spinning part ...))

Reminder of use ...

```
int withdraw(account, amount) {  
    acquire(lock);  
    balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    release(lock);  
    spit out cash;  
}
```

} critical section

```
acquire(lock)  
balance = get_balance(account);  
balance -= amount;
```

```
acquire(lock)
```

```
put_balance(account, balance);  
release(lock);
```

```
balance = get_balance(account);  
balance -= amount;  
put_balance(account, balance);  
release(lock);  
spit out cash;
```

```
spit out cash;
```

- How does a thread blocked on an “acquire” (that is, stuck in a test-and-set loop) yield the CPU?
 - calls `yield()` (*spin-then-block*)
 - there’s an involuntary context switch (e.g., timer interrupt)

Problems with spinlocks

- Spinlocks work, but are wasteful!
 - if a thread is spinning on a lock, the thread holding the lock cannot make progress
 - You'll spin for a scheduling quantum
 - (`pthread_spin_t`)
- Only want spinlocks as primitives to build higher-level synchronization constructs
 - Ok as ensure acquiring only happens for a short time
- We'll see later how to build blocking locks
 - But there is overhead – can be cheaper to spin

Summary

- Synchronization introduces temporal ordering
- Synchronization can eliminate races
- Synchronization can be provided by locks, semaphores, monitors, messages ...
- Spinlocks are the lowest-level mechanism
 - primitive in terms of semantics – error-prone
 - implemented by spin-waiting (crude) or by disabling interrupts (also crude, and can only be done in the kernel)