



Tensor Visualisation

Visualisation – Lecture 14

Taku Komura

Institute for Perception, Action & Behaviour
School of Informatics







Reminder : Attribute Data Types


- **Scalar**

- colour mapping, contouring



- **Vector**

- lines, glyphs, stream {lines | ribbons | surfaces}



- **Tensor**

- complex problem : active area of research
- today : **simple techniques for tensor visualisation**





What is a tensor ?

- A tensor is a table of rank k defined in n -dimensional space (\mathbb{R}^n)
 - generalisation of vectors and matrices in \mathbb{R}^n
 - Rank 0 is a scalar
 - Rank 1 is a vector
 - Rank 2 is a matrix
 - Rank 3 is a regular 3D array
 - k : rank defines the **topological dimension** of the attribute
 - Topological Dimension: number of independent continuous variables specifying a position within the topology of the data
 - n : defines the **geometrical dimension** of the attribute
 - i.e. k indices each in range $0 \rightarrow (n-1)$





Tensors in \mathbb{R}^3

- Here we limit discussion to tensors in \mathbb{R}^3
 - In \mathbb{R}^3 a tensor of rank k requires 3^k numbers
 - A tensor of rank 0 is a scalar ($3^0 = 1$)
 - A tensor of rank 1 is a vector ($3^1 = 3$)
 - A tensor of rank 2 is a 3x3 matrix (9 numbers)
 - A tensor of rank 3 is a 3x3x3 cube (27 numbers)

$$V = \begin{bmatrix} V_1 \\ V_2 \\ V_3 \end{bmatrix} \quad T = \begin{bmatrix} T_{11} & T_{21} & T_{31} \\ T_{12} & T_{22} & T_{32} \\ T_{13} & T_{23} & T_{33} \end{bmatrix}$$

- We will only treat rank 2 tensors – i.e. matrices





Where do tensors come from?

- **Stress/strain tensors**
 - analysis in engineering
- **DT-MRI**
 - molecular diffusion measurements
- *These are represented by 3x3 matrices*
 - *Or three normalized eigenvectors and three corresponding eigenvalues*






Stress Tensor

- Say we are to apply force from various directions to a small box
- The stress at the surface can be represented by the **stress tensor**:

- $\sigma_{xx}, \sigma_{yy}, \sigma_{zz}$ indicates a **'normal' stress** in x,y,z direction, respectively
- The rest indicates a **shear stress**



In the direction of


	$x:$	$y:$	$z:$
stress on the face normal to x :	σ_{xx}	σ_{xy}	σ_{xz}
stress on the face normal to y :	σ_{yx}	σ_{yy}	σ_{yz}
stress on the face normal to z :	σ_{zx}	σ_{zy}	σ_{zz}





Stress Tensor


- A **'normal' stress** is a stress perpendicular (i.e. normal) to a specified surface
- A **shear stress acts tangentially** to the surface orientation
 - Stress tensor : characterised by **principle axes of tensor**
 - We can compose a 3x3 matrix called **Stress Tensor** representing the stress added to the box
- Need to compute how much the shape gets distorted by the stress





Computing Eigenvectors from the Stress Tensor


- 3x3 matrix results in **Eigenvalues** (scale) of normal stress along **eigenvectors** (direction)
- form 3D coordinate system (locally) with mutually perp. Axes
- ordering by eigenvector referred to as **major, medium and minor eigenvectors**





DT-MRI : diffusion tensor

- Water molecules have **anisotropic diffusion in the body due to the cell shape and membrane properties**
 - **Neural fibers : long cylindrical cells filled with fluid**
 - **Water diffusion rate is fastest along the axis**
 - **Slowest in the two transverse directions**
 - **brain functional imaging by detecting the anisotropy**







Tensors : Visualisation Methods

- For visualization of tensors, we have to visualize
 - three vectors orthogonal to each other
 - At every sample point in the 3D space
- **Vector methods**
 - hedgehogs
 - Streamline, hyper-streamline
- **Glyphs**
 - 3D ellipses particularly appropriate (3 modes of variation)





Hedgehogs



- Using hedgehogs to draw the three eigenvectors
 - The length is the stress value
- Good for simple cases as above
 - Applying forces to the box
 - Green represents positive, red negative





Hedgehogs

- Not good if
 - The grid is coarse
 - The stress is non-uniform, non-linear across the object




Figure 7. (a) Principal stress hedgehogs for one layer of four-pile group close to the surface, (b) principal stress hedgehogs for a layer just beneath the pile cap for a single pile.



Streamlines for tensor visualisation

- Each eigenvector defines a vector field
- Using the eigenvector to create the streamline
 - **We can use the Major vector, the medium and the minor vector to generate different streamlines**




Figure 8. Hyperstreamlines for minor, intermediate and major principal stress for a point-load.



Streamlines for MRI

- **Major vector is relevant in the case of anisotropy** - indicates nerve pathways or stress directions.
- Visualization of the brain nerves by the streamlines based on the major eigenvectors of the water diffusion



<http://www.cmiv.liu.se/>






Hyper-streamlines

[Delmarcelle et al. '93]

- Construct a **streamline** from **vector field of major eigenvector**




- **Form ellipse together with medium and minor eigenvector**

- both are orthogonal to streamline direction

- **Sweep ellipse** along streamline

- **Hyper-Streamline** (type of stream polygon)

Visualizing the information of the three eigenvectors altogether !





Tensor Glyphs

- **Ellipses**






- rotated into coordinate system defined by eigenvectors of tensor
- axes are scaled by the eigenvalues
- very suitable as 3 modes of variation

- **Classes of tensor:**

- (a,b) - **large major eigenvalue**
 - ellipse approximates a **line**
- (c,d) - **large major and medium eigenvalue**
 - ellipse approximates a **plane**
- (e,f) - **all similar** - ellipse approximates a **sphere**


Ellipse

Eigenvector axes





Diffusion Tensor Visualisation



Baby's brain image

(source: R.Sierra)

The brain consists of different types of tissues with different diffusions

Anisotropic tensors indicate nerve pathway in brain:

- **Blue shape** – tensor approximates a line. (nerves)
- **Yellow shape** – tensor approximates a plane.
- **Yellow transparent shape** – ellipse approximates a sphere


Colours needed due to **ambiguity in 3D shape**







Example : tensor glyphs

- Glyphs with similar positional and modes of shape variation to ellipsoid used for **MRI diffusion tensor visualisation**
 - **disambiguates orientation**



- **coloured by tensor class**
 - interpolated between classes




[Westin et al. '02]





Stress Ellipses



- Force applied to dense 3D solid – resulting **stress at 3D position in structure**
- Ellipses visualise the stress tensor
- Tensor Eigenvalues:
 - Large major eigenvalue indicates **principle direction of stress**
 - ‘Temperature’ **colourmap indicates size of major eigenvalue (magnitude of stress)**





Interpolation of Tensors

- How do we interpolate over tensors ?
- Can **simply interpolate over eigen-components** individually:



- But if it **represents specific information** (e.g. nerve pathway) then **shape preserving methods** are preferred:





Summary

- **Tensor Visualisation**
 - **challenging**
 - for common rank 2 tensors in \mathbb{R}^3
 - common sources **stress / strain / MRI data**
 - a number of methods exist via **eigenanalysis decomposition of tensors**
 - **3D glyphs** – specifically **ellipsoids**
 - **vector and scalar field** methods
 - **hyper-streamlines**

