AGTA Tutorial sheet 2 (solutions)

Radu Ciobanu

1 Question 1

Consider the finite 2 player zero sum game given by the following payoff matrix A, for player 1 (row player):

$$A = \begin{pmatrix} 4 & 2 & 9 & 2 & 5 \\ 6 & 3 & 5 & 9 & 7 \\ 1 & 4 & 8 & 5 & 7 \\ 5 & 1 & 3 & 5 & 6 \end{pmatrix}$$

Observe that the last row is strictly dominated by the second row. Also, the second column strictly dominates the 5th column (since -2 > -5, -3 > -7, -4 > -7) obtaining in the residual game matrix:

$$\begin{pmatrix}
4 & 2 & 9 & 2 \\
6 & 3 & 5 & 9 \\
1 & 4 & 8 & 5
\end{pmatrix}$$

Note that the second column strictly dominates the 3rd column, since -2 > -9, -3 > -5, -4 > -8. Now, row 1 is strictly dominated by row 2, and in the residual game, column 2 strictly dominates column 4, since -3 > -9, -4 > -5, leaving us with the final residual game:

$$A' = \begin{pmatrix} 6 & 3\\ 1 & 4 \end{pmatrix}$$

In order to compute the minmaximizer strategy for player 1, as well as the value of the game v, we have the following LP (primal form) problem: Denote $x^T = [p_1 \ p_2]$ to represent the minmaximizer strategy for player 1.

Maximize v Subject to: $6p_1 + p_2 \ge v$ $3p_1 + 4p_2 \ge v$ $p_1 + p_2 = 1$ $p_1, p_2 \ge 0$. Using $p_2 = 1 - p_1$, the system becomes: Maximize v subject to: $p_1 \ge \frac{v-1}{5}$ $p_1 \le 4 - v$ $p_1 \ge 0$ $p_1 \le 1$ By eliminating p_1 , we have:

 $\frac{v-1}{5} \leq 4-v$, or equivalently $v \leq \frac{21}{6} = 3.5$ $\frac{v-1}{5} \leq 1$, or equivalently $v \leq 6$, and $4-v \ge 0$, or equivalently, $v \le 4$.

Note that we can choose the condition that is most stringent, in this case $v \leq 3.5$. Therefore, by maximizing v, we have that v = 3.5. Therefore the optimal solution is v = 3.5, and $p_1 = p_2 = 0.5$.

Taking $y = \begin{bmatrix} q_1 \\ q_2 \end{bmatrix}$ to represent the maximizer strategy for player 2, the dual of the LP presented above is:

Minimize usubject to: $6q_1 + 3q_2 \le u$ $q_1 + 4q_2 \le u$ $q_1 + q_2 = 1$ $q_1, q_2 \ge 0$ Using $q_2 = 1 - q_1$, the system becomes Minimize usubject to $q_1 \le \frac{u-3}{4}$ $q_1 \ge \frac{4-u}{3}$ $q_1 \ge 0$ $q_1 \leq 1$ By eliminating q_1 , we have: $\frac{4-u}{3} \leq \frac{u-3}{3}$, or equivalently $u \geq \frac{7}{2} = 3.5$ $\frac{4-u}{3} \leq 1$, or equivalently $u \geq 1$ $\frac{u-3}{3} \geq 0$, or equivalently $u \geq 3$.

Since we minimize u, we conclude that the minimum value which satisfies the constraints is u = 3.5 and therefore $q_1 = \frac{1}{6}$ and $q_2 = \frac{5}{6}$. Note that u = v, which is not surprising: this fact following from the minimax theorem.

$\mathbf{2}$ Question 2

$$G = \begin{pmatrix} (7,3) & (6,4) & (5,5) & (4,7) \\ (4,2) & (7,9) & (8,6) & (8,8) \\ (6,1) & (9,7) & (2,4) & (6,9) \end{pmatrix}$$

Note that column 1 is strictly dominated by column 2. Also, in the residual game bimatrix, row 1 is strictly dominated by row 2. Also, column 3 is strictly dominated by column 4. We are now left with the following residual game:

$$G' = \begin{pmatrix} (7,9) & (8,8) \\ (9,7) & (6,9) \end{pmatrix}$$

It is easy to check that there are no pure Nash Equilibria. This is because if either player plays a pure strategy, then it is clear by inspection of the game that the unique best response of the other player is a pure strategy, and it is also clear by inspection of the game that no pair of pure strategies constitutes a NE. In every NE of this risidual game, it must be the case that both players use both of their strategies with positive probability. We use the corollary to Nash's theorem to compute the unique NE in the residual game as follows: Suppose player 1 plays strategy 1 with probability p and strategy 2 with probability (1-p) in some N.E, where 0 . Suppose player 2 plays strategy 1 withprobability q and strategy 2 with probability (1-q) in some N.E, where 0 < q < 1.

Using the corollary of the Nash theorem, if player 2 is playing against player 1's mixed strategy, both of player 2's pure strategies must be a best response to player 1. The same argument applies for player 1.

Therefore,

$$7q + 8(1 - q) = 9q + 6(1 - q)$$

$$9p + 7(1 - p) = 8p + 9(1 - p)$$

By doing the arithmetic, we find $p = \frac{2}{3}$ and $q = \frac{1}{2}$. So, a NE for this game is: $[(0, \frac{2}{3}, \frac{1}{3}, 0); (0, \frac{1}{2}, 0, \frac{1}{2})]$. The expected payoff for player 1 under this strategy profile is 7.5, whereas the expected payoff for player 2 is 8.33.

A strategy that is strictly dominated can not be played with non-zero probability in any NE, and therefore we don't eliminate NE's by eliminating strictly dominated strategies. Also, p and q are both uniquely determined so it must imply that there is only one NE in this game.

Final answer: $[(0, \frac{2}{3}, \frac{1}{3}); (0, \frac{1}{2}, 0, \frac{1}{2})]$