

Computer Programming: Skills & Concepts (CP1)

Structured data: arrays

19th October, 2010

Motivation for arrays

In our program on “coin changing” we introduced individual integer variables to keep track of the number of coins of each denomination:

```
int n1, n2, n3, n4, n5, n6, n7, n8;
```


When it came to updating these variables we had to resort to a lengthy conditional statement, with a separate case for each of the seven variables. There ought to be a better way!

Declaration of arrays

The declaration

```
#define SIZE 8  
int a[SIZE];
```

introduces an *array*, called *a*, with 8 *elements* (or *components*) of type integer.



(subscript or index)

Notes

- ▶ The first element of the array has index 0, and the final element has index `SIZE - 1`.
- ▶ We refer to the entire array as `a`.
- ▶ All the elements of the array have type `int`. We refer to these individual elements as `a[0]`, `a[1]`, and so on up to `a[SIZE - 1]`.
- ▶ Array indices are expressions of type `int`

Where the power lies

Since an array index is a integer *expression*, and not a *constant*, its value isn't determined until the program is run. The precise array element referred to by `a[i]` depends on the current value of `i`

Example:

```
for (i = 0; i < SIZE; ++i) a[i] = 0;
```

Effect: Initialise all elements of the array `a` to zero.

C.f.

```
a[0] = 0;
```

```
a[1] = 0;
```

```
...
```

```
a[SIZE - 1] = 0;
```

Letter frequencies with arrays

```
int c, i, count[26]; /* Allocate one counter per letter */

for (i = 0; i <= 25; ++i) count[i] = 0;
while ((c = getchar()) != EOF) {
    c = toupper(c);
    if (isupper(c)) {
        i = c - 'A';      /* Integer in [0,25] */
        ++count[i];      /* Increment counter for letter just read */
    }
}
for (i = 0; i <= 25; ++i)
    printf("%c: %d\n", i + 'A', count[i]); /* Print frequencies */
```

Finding the commonest letter

```
int maxCount,    /* Maximum count seen so far */
    maxIndex;    /* Location where we observed that maximum */

maxCount = count[0]; /* Letter A is deemed the winner, */
maxIndex = 0;        /* at the outset.                */
for (i = 1; i <= 25; ++i) {
    if (count[i] > maxCount) { /* Bigger than seen so far? */
        maxCount = count[i];
        maxIndex = i;
    }
}
printf("The commonest letter is \"%c\" with %d occurrences.",
    'A' + maxIndex, maxCount);
```

Arrays of any type



We haven't discussed typedef or struct formally yet ... though we have seen, in Practical 1, their use to define a type for representing points in the plane.

An array of points could be used to represent a polygon with up to MAX vertices.

```
typedef struct {  
    int x, y;  
} point_t;  
  
point_t vertex[MAX];
```

Question: How do we deal with a polygon with fewer than MAX vertices?

Polygon as an array of vertices



Arrays as parameters

```
int Max(int a[], int n) {
/*  n is the number of elements in array a.  Max returns
 *  the maximum element of a.  NB:  We lose the size of
 *  the array when we pass it as a parameter          */

    int i, maxSoFar;
    maxSoFar = a[0];
    for (i = 1; i < n; ++i)
        if (a[i] > maxSoFar) maxSoFar = a[i];
    return maxSoFar;
}

printf("The commonest letter occurred %d times.", Max(count, 26));
```

Arrays are “pointers”

```
void Rotate(int a[], int n) {  
    /* Aim: rotate the elements of a cyclically one position. */  
    int i;  
    int temp; /* Temporary storage location (like in swap). */  
  
    temp = a[n - 1];  
    for (i = n - 1; i > 0; --i) a[i] = a[i - 1];  
    a[0] = temp;  
}
```

```
Rotate(count, 26);
```

Question: Is count cyclically rotated or unchanged?

Arrays are “pointers”

The answer is that it *is* rotated.

The reason? Roughly it is because an array in C is a pointer (to its first element).

- ▶ The actual parameter `count` is a pointer to an integer.
- ▶ The formal parameter `a[]` is a synonym for `*a`.

+ve: Means we don't need to use `&` and `*` to get the effect of “call-by-reference” with array parameters. (remember `swap` from lecture 9).

-ve: We always have to incorporate an extra parameter (eg, `n` in `Rotate`) to allow the length of the array to be passed into the function.

Arrays of arrays

Array elements can themselves be arrays. So, for example, a matrix with N rows and M columns could be defined as:

```
float matrix[N][M];
```

We'd then expect to be able to write a function that multiplies a vector x by a matrix a with header

```
void LinTransform(float a[][ ],
                  float x[],
                  float y[],
                  int n, int m);
```

However C does *not* allow this - declaration for a must instead be of the form $a[][10]$ or $a[][8]$ or similar.

To understand why, check out Kelley & Pohl [KP, §6.12].

Coin Changing with arrays

Use an array to store the counts n_1, \dots, n_8 in a common format.

- ▶ Don't need global variables any more

Reading Material

Most of Chapter 6, Kelley and Pohl.

- ▶ Specifically, 6.1, 6.4, 6.6, 6.12
- ▶ Some other sections of chapter 6 discuss pointers, and also the relationship between pointers and arrays.