

# Distributed Systems

## Termination Detection

Rik Sarkar

University of Edinburgh  
Fall 2015

# Termination detection

Ref: Wiki, VG

- How do we know when a distributed computation has ended?
- We track nodes being in state “idle” Vs “Active”
- Assume: an idle node becomes active only on receiving a message from some other node.
  - (exception : the initiator: leader/server etc..)
- Termination is all nodes being idle

# Termination detection (weight throwing)

- We suppose that the computation is started by a process  $s$ .
  - This means, other (idle) processes start working (becomes active) after receiving message from  $s$  or some other process
  - They have no other way to know that a computation is in progress
- $s$  wants to know when all other processes have concluded working
- $S$  starts with  $\text{weight} = 1.0$
- Other processes start with  $\text{weight} = 0$

# Weight throwing

- When a process sends a message, it puts part (say, half) of its weight in the message.
- When a process receives a message, it adds the message weight to its own weight.
- When a process has finished computing, (becomes idle) it sends its current weight to  $s$
- When  $s$  has weight=1.0, it knows no other process is active

# Termination detection (weight throwing)

- Works on the assumption that no message is lost
  - Methods like TCP give good guarantee for delivery
  - Many other distributed algorithms have this assumption
  - Useful for their termination detection
- Drawback:
  - What if there are many messages?
  - (Homework!)

# Termination detection (Dijkstra-scholten)

- Maintains a tree of which node initiated computation at which other node
- Each node has active children counter (cc)
- When node x sends a message to y
  - x increments cc
  - If y was idle
    - y becomes active
    - y remembers x as the parent
  - If y was already active
    - y sends ack to x
- When x receives an ack
  - x decrements cc
- When y finishes all computation and is idle
  - And has  $cc = 0$ 
    - y sends ack to parent

# Termination detection (Dijkstra-scholten)

- How do you describe its Message complexity ?