

Overview

Elements of Programming Languages

Lecture 13: Small-step semantics and type safety

James Cheney

University of Edinburgh

November 9, 2017

- For the remaining lectures we consider some *cross-cutting* considerations for programming language design.
 - Last time: Imperative programming
- Today:
 - Finer-grained (small-step) evaluation
 - Type safety

Refresher

- In the first 6 lectures we covered:
 - Basic arithmetic (L_{Arith})
 - Conditionals and booleans (L_{If})
 - Variables and let-binding (L_{Let})
 - Functions and recursion (L_{Rec})
 - Data structures (L_{Data})
- formalized using big-step evaluation ($e \Downarrow v$) and type judgments ($\Gamma \vdash e : \tau$)
- and implemented using Scala interpreters

Limitations of big-step semantics

- Big-step semantics is convenient, but also limited
- It says how to evaluate the “whole program” (expression) to its “final value”
- *But what if there is no final value?*
 - Expressions like $1 + \text{true}$ simply don’t evaluate
 - Nonterminating programs don’t evaluate either, but for a different reason!
- As we will see in later lectures, it is also difficult to deal with other features, like exceptions, using big-step semantics

Small-step semantics

- We will now consider an alternative: *small-step semantics*

$$e \mapsto e'$$

- which says how to evaluate an expression “one step at a time”
- If $e_0 \mapsto \dots \mapsto e_n$ then we write $e_0 \mapsto^* e_n$. (in particular, for $n = 0$ we have $e_0 \mapsto^* e_0$)
- We want it to be the case that $e \mapsto^* v$ if and only if $e \Downarrow v$.
- But \mapsto provides more detail about how this happens.
- It also allows expressions to “go wrong” (get stuck before reaching a value)

Small-step semantics: L_{If}
 $e \mapsto e'$ for L_{If}

$$\frac{}{v == v \mapsto \text{true}} \quad \frac{v_1 \neq v_2}{v_1 == v_2 \mapsto \text{false}}$$

$$\frac{e \mapsto e'}{\text{if } e \text{ then } e_1 \text{ else } e_2 \mapsto \text{if } e' \text{ then } e_1 \text{ else } e_2}$$

$$\frac{}{\text{if true then } e_1 \text{ else } e_2 \mapsto e_1}$$

$$\frac{}{\text{if false then } e_1 \text{ else } e_2 \mapsto e_2}$$

- If the conditional test is not a value, evaluate it one step
 - Otherwise, evaluate the corresponding branch
- $$\text{if } 1 == 2 \text{ then } 3 \text{ else } 4 \mapsto \text{if false then } 3 \text{ else } 4$$
- $$\mapsto 4$$

Small-step semantics: L_{Arith}
 $e \mapsto e'$ for L_{Arith}

$$\frac{e_1 \mapsto e'_1}{e_1 \oplus e_2 \mapsto e'_1 \oplus e_2} \quad \frac{e_2 \mapsto e'_2}{v_1 \oplus e_2 \mapsto v_1 \oplus e'_2}$$

$$\frac{}{v_1 + v_2 \mapsto v_1 +_{\mathbb{N}} v_2} \quad \frac{}{v_1 \times v_2 \mapsto v_1 \times_{\mathbb{N}} v_2}$$

- If the first subexpression of \oplus can take a step, apply it
- If the first subexpression is a value and the second can take a step, apply it
- If both sides are values, perform the operation
- Example:

$$1 + (2 \times 3) \mapsto 1 + 6 \mapsto 7$$

Small-step semantics: L_{Let}
 $e \mapsto e'$ for L_{Let}

$$\frac{e_1 \mapsto e'_1}{\text{let } x = e_1 \text{ in } e_2 \mapsto \text{let } x = e'_1 \text{ in } e_2}$$

$$\frac{}{\text{let } x = v_1 \text{ in } e_2 \mapsto e_2[v_1/x]}$$

- If the expression e_1 is not yet a value, evaluate it one step
- Otherwise, substitute it and proceed
- Example:

$$\text{let } x = 1 + 1 \text{ in } x \times x \mapsto \text{let } x = 2 \text{ in } x \times x$$

$$\mapsto 2 \times 2$$

$$\mapsto 4$$

Small-step semantics: L_{Lam} $e \mapsto e'$ for L_{Lam}

$$\frac{e_1 \mapsto e'_1}{e_1 e_2 \mapsto e'_1 e_2} \quad \frac{e_2 \mapsto e'_2}{v_1 e_2 \mapsto v_1 e'_2}$$

$$\overline{(\lambda x. e) v \mapsto e[v/x]}$$

- If the function part is not a value, evaluate it one step
- If the function is a value and the argument isn't, evaluate it one step
- If both function and argument are values, substitute and proceed

$$\begin{aligned} ((\lambda x. \lambda y. x + y) 1) 2 &\mapsto (\lambda y. 1 + y) 2 \\ &\mapsto 1 + 2 \mapsto 3 \end{aligned}$$

Small-step semantics: L_{Rec} $e \mapsto e'$ for L_{Rec}

$$\overline{(\text{rec } f(x). e) v \mapsto e[\text{rec } f(x). e/f, v/x]}$$

- Same rules for evaluation inside application
- Note that we need to substitute $\text{rec } f(x). e$ for f .
- Suppose *fact* is the factorial function:

$$\begin{aligned} \text{fact } 2 &\mapsto \text{if } 2 == 0 \text{ then } 1 \text{ else } 2 \times \text{fact}(2 - 1) \\ &\mapsto \text{if false then } 1 \text{ else } 2 \times \text{fact}(2 - 1) \\ &\mapsto 2 \times \text{fact}(2 - 1) \mapsto 2 \times \text{fact}(1) \\ &\mapsto 2 \times (\text{if } 1 == 0 \text{ then } 1 \text{ else } 1 \times \text{fact}(1 - 1)) \\ &\mapsto 2 \times (\text{if false then } 1 \text{ else } 1 \times \text{fact}(1 - 1)) \\ &\mapsto 2 \times (1 \times \text{fact}(1 - 1)) \mapsto 2 \times (1 \times \text{fact}(0)) \\ &\mapsto^* 2 \times (1 \times 1) \mapsto 2 \times 1 \mapsto 2 \end{aligned}$$



Judgments and Rules, in general

- A *judgment* is a relation among one or more abstract syntax trees.
- Examples so far: $e \Downarrow v$, $\Gamma \vdash e : \tau$, $e \mapsto e'$
- We have been defining judgments using *rules* of the form:

$$\overline{Q} \quad \frac{P_1 \quad \dots \quad P_n}{Q}$$

- where P_1, \dots, P_n and Q are judgments.



Meaning of Rules

- A rule of the form:

$$\overline{Q}$$

is called an *axiom*. It says that Q is always derivable.

- A rule of the form

$$\frac{P_1 \quad \dots \quad P_n}{Q}$$

says that judgment Q is derivable if P_1, \dots, P_n are derivable.

- Symbols like e, v, τ in rules stand for arbitrary expressions, values, or types.
- (If you are familiar with Logic Programming: These rules are a lot like Prolog clauses!)



Rule induction

Example: $e \Downarrow v$ implies $e \mapsto^* v$ Induction on derivations of $e \Downarrow v$

Suppose $P(-, -)$ is a predicate over pairs of expressions and values. If:

- $P(v, v)$ holds for all values v
- If $P(e_1, v_1)$ and $P(e_2, v_2)$ then $P(e_1 + e_2, v_1 +_{\mathbb{N}} v_2)$
- If $P(e_1, v_1)$ and $P(e_2, v_2)$ then $P(e_1 \times e_2, v_1 \times_{\mathbb{N}} v_2)$

then $e \Downarrow v$ implies $P(e, v)$.

- Rule induction can be derived from mathematical induction on the size (or height) of the derivation tree.
- (Much like structural induction.)
- We won't formally prove this.

- As an example, we'll show a few cases of the forward direction of:

Theorem (Equivalence of big-step and small-step evaluation)

$e \Downarrow v$ if and only if $e \mapsto^* v$.

Base case.

If the derivation is of the form

$$\overline{n \Downarrow n}$$

for some number n , then $e = n$ is already a value $v = n$, so no steps are needed to evaluate it, i.e. $n \mapsto^* n$ in zero steps. \square

Example: $e \Downarrow v$ implies $e \mapsto^* v$

Type soundness

Inductive case.

If the derivation is of the form

$$\frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{e_1 + e_2 \Downarrow v_1 +_{\mathbb{N}} v_2}$$

then by induction, we know $e_1 \mapsto^* v_1$ and $e_2 \mapsto^* v_2$. Using the small-step rules, we can then show

$$e_1 + e_2 \mapsto^* v_1 + e_2 \mapsto^* v_1 + v_2 \mapsto v_1 +_{\mathbb{N}} v_2$$

\square

- The case for \times is similar.

- The central property of a type system is *soundness*.
- Roughly speaking, soundness means “well-typed programs don't go wrong” [Milner].
- But what exactly does “go wrong” mean?
 - For large-step: hard to say
 - For small-step: “go wrong” means “stuck” expression e that is not a value and cannot take a step.
- We could show something like:

Theorem (Value Soundness)

If $\vdash e : \tau$ and $e \mapsto^* v$ then $\vdash v : \tau$.

- This says that if an expression evaluates to a value, then the value has the right type.



Type soundness revisited

- We can decompose soundness into two parts:

Lemma (Progress)

If $\vdash e : \tau$ then e is not stuck: that is, either e is a value or for some e' we have $e \mapsto e'$.

Lemma (Preservation)

If $\vdash e : \tau$ and $e \mapsto e'$ then $\vdash e' : \tau$

- Combining these two, can show:

Theorem (Soundness)

If $\vdash e : \tau$ then e is not stuck and if $e \mapsto^* e'$ then $\vdash e' : \tau$.

- We will *sketch* these properties for L_{lf} (leaving out a lot of formal detail)



Progress for L_{lf}

Progress is proved by induction on $\vdash e : \tau$ derivations. We show some representative cases.

Progress for $+$.

$$\frac{\vdash e_1 : \text{int} \quad \vdash e_2 : \text{int}}{\vdash e_1 + e_2 : \text{int}}$$

If the derivation is of the above form, then by induction e_1 is either a value or can take a step, and likewise for e_2 . There are three cases.

- If $e_1 \mapsto e'_1$ then $e_1 + e_2 \mapsto e'_1 + e_2$.
- If e_1 is a value v_1 and $e_2 \mapsto e'_2$, then $v_1 + e_2 \mapsto v_1 + e'_2$.
- If both e_1 and e_2 are values then they must both be numbers $n_1, n_2 \in \mathbb{N}$, so $e_1 + e_2 \mapsto n_1 +_{\mathbb{N}} n_2$.



Progress for L_{lf}

Progress for if .

If the derivation is of the form

$$\frac{\vdash e : \text{bool} \quad \vdash e_1 : \tau \quad \vdash e_2 : \tau}{\vdash \text{if } e \text{ then } e_1 \text{ else } e_2 : \tau}$$

then by induction, either e is a value or can take a step. There are two cases:

- If $e \mapsto e'$ then
if e then e_1 else $e_2 \mapsto \text{if } e' \text{ then } e_1 \text{ else } e_2$.
- If e is a value, it must be either true or false. In the first case, if true then e_1 else $e_2 \mapsto e_1$, otherwise if false then e_1 else $e_2 \mapsto e_2$.



Preservation for L_{lf}

Preservation is proved by induction on the structure of $\vdash e : \tau$. We'll consider some representative cases:

Preservation for $+$.

$$\frac{\vdash e_1 : \text{int} \quad \vdash e_2 : \text{int}}{\vdash e_1 + e_2 : \text{int}}$$

If the derivation is of the above form, there are three cases.

- If $e_i = v_i$ and $v_1 + v_2 \mapsto v_1 +_{\mathbb{N}} v_2$ then obviously $\vdash v_1 +_{\mathbb{N}} v_2 : \text{int}$.
- If $e_1 + e_2 \mapsto e'_1 + e_2$ where $e_1 \mapsto e'_1$, then since $\vdash e_1 : \text{int}$, we have $\vdash e'_1 : \text{int}$, so $\vdash e'_1 + e_2 : \text{int}$ also.
- The case where $e_1 = v_1$ and $v_1 + e_2 \mapsto v_1 + e'_2$ is similar.



Preservation for L_{If}

Preservation for if.

If the derivation is of the form

$$\frac{\vdash e : \text{bool} \quad \vdash e_1 : \tau \quad \vdash e_2 : \tau}{\vdash \text{if } e \text{ then } e_1 \text{ else } e_2 : \tau}$$

then there are three cases:

- If $\text{if } e \text{ then } e_1 \text{ else } e_2 \mapsto \text{if } e' \text{ then } e_1 \text{ else } e_2$ where $e \mapsto e'$, then by induction we can show that $\vdash e' : \text{bool}$ and $\vdash \text{if } e' \text{ then } e_1 \text{ else } e_2 : \tau$.
- If $e = \text{true}$ then $\text{if true then } e_1 \text{ else } e_2 \mapsto e_1$, so we already know $\vdash e_1 : \tau$.
- The case for $\text{if false then } e_1 \text{ else } e_2 \mapsto e_2$ is similar.



Type soundness for L_{Let} [non-examinable]

- Progress: straightforward (a “let” can always take a step)
- Preservation: Suppose we have

$$\frac{\vdash v_1 : \tau' \quad x:\tau' \vdash e_2 : \tau}{\vdash \text{let } x = v_1 \text{ in } e_2 : \tau} \quad \frac{}{\text{let } x = v_1 \text{ in } e_2 \mapsto e_2[v_1/x]}$$

We need to show that $\vdash e_2[v_1/x] : \tau$

- For this we need a *substitution lemma*

Lemma (Substitution)

If $\Gamma, x:\tau' \vdash e : \tau$ and $\Gamma \vdash e' : \tau'$ then $\Gamma \vdash e[e'/x] : \tau$

Type soundness for L_{Rec} [non-examinable]

- Progress: If an application term is well-formed:

$$\frac{\vdash e_1 : \tau_1 \rightarrow \tau_2 \quad \vdash e_2 : \tau_1}{\vdash e_1 e_2 : \tau_2}$$

then by induction, e_1 is either a value or $e_1 \mapsto e'_1$ for some e'_1 . If it is a value, it must be either a lambda-expression or a recursive function, so $e_1 e_2$ can take a step.

Otherwise, $e_1 e_2 \mapsto e'_1 e_2$.

- Preservation: Similar to let, using substitution lemma for the cases

$$\begin{aligned} (\lambda x. e) v &\mapsto e[v/x] \\ (\text{rec } f(x). e) v &\mapsto e[\text{rec } f(x). e/f, v/x] \end{aligned}$$

Summary

- Today we have presented
 - Small-step evaluation: a finer-grained semantics
 - Induction on derivations
 - Type soundness (details for L_{If})
 - Sketch of type soundness for L_{Rec} [Non-examinable]
- Deep breath: No more induction proofs from now on.
- Remaining lectures cover cross-cutting language features, which often have subtle interactions with each other
 - Next time: Imperative programming revisited: references, arrays and other resources.