

Informatics 1

Functional Programming Lecture 6, continued

More fun with recursion

Don Sannella

University of Edinburgh

Part I

Select, take, and drop

Select, take, and drop

```
Prelude> "words" !! 3  
'd'
```

Select the item in the nth position of a list.
Isn't used nearly as often as you'd expect.

```
Prelude> take 3 "words"  
"wor"
```

Return the first n items in a list.

```
Prelude> drop 3 "words"  
"ds"
```

Return all except the first n items in a list.

These are all built-in functions in Haskell. They work on lists of any type, not just strings.

Select, take, and drop (comprehensions)

```
selectComp :: [a] -> Int -> a -- (!!)  
selectComp xs i = the [ x | (j,x) <- zip [0..] xs, j == i ]  
  where  
  the [x] = x
```

```
takeComp :: Int -> [a] -> [a]  
takeComp i xs = [ x | (j,x) <- zip [0..] xs, j < i ]
```

```
dropComp :: Int -> [a] -> [a]  
dropComp i xs = [ x | (j,x) <- zip [0..] xs, j >= i ]
```

All of these can be defined using the same trick as in the comprehension definition of search, with zip [0..] xs. Using different names to avoid conflict with the built-in functions.

How take works (comprehension)

```
takeComp :: Int -> [a] -> [a]
```

```
takeComp i xs = [ x | (j,x) <- zip [0..] xs, j < i ]
```

```
take 3 "words"  
=  
[ x | (j,x) <- zip [0..] "words", j < 3 ]  
=  
[ x | (j,x) <- [(0,'w'), (1,'o'), (2,'r'), (3,'d'), (4,'s')],  
          j < 3 ]  
=  
['w' | 0<3]++['o' | 1<3]++['r' | 2<3]++['d' | 3<3]++['s' | 4<3]  
=  
['w' ]++['o' ]++['r' ]++[ ]++[ ]  
=  
"wor"
```

Lists

Every list can be written using only `(:)` and `[]`.

```
[1, 2, 3] = 1 : (2 : (3 : []))
```

```
"list" = ['l', 'i', 's', 't']  
       = 'l' : ('i' : ('s' : ('t' : [])))
```

A *recursive* definition: A *list* is either

- *null*, written `[]`, or
- *constructed*, written `x:xs`,
with *head* `x` (an element), and *tail* `xs` (a list).

Remember the definition of lists ...

Natural numbers

Every natural number can be written using only (+1) and 0.

$$3 = ((0 + 1) + 1) + 1$$

A *recursive* definition: A *natural number* is either

- *zero*, written 0, or
- *successor*, written $n+1$
with *predecessor* n (a natural number).

... we can do something similar to define NATURAL NUMBERS (positive integers).
Then we can use this to define functions using recursion on natural numbers.
In Haskell, we use n and $n-1$ rather than $n+1$ and n , once we have dealt with $n=0$.

Select, take, and drop (recursion)

```
(!!) :: [a] -> Int -> a
(x:xs) !! 0 = x
(x:xs) !! i = xs !! (i-1)
```

```
take :: Int -> [a] -> [a]
take 0 xs = []
take i [] = []
take i (x:xs) = x : take (i-1) xs
```

```
drop :: Int -> [a] -> [a]
drop 0 xs = xs
drop i [] = []
drop i (x:xs) = drop (i-1) xs
```

These definitions do simultaneous recursion on i and xs .
That's why we need two base cases.

Pattern matching and conditionals (squares)

Pattern matching

```
squares :: [Int] -> [Int]
squares [] = []
squares (x:xs) = x*x : squares xs
```

Conditionals with binding

```
squares :: [Int] -> [Int]
squares ws =
  if null ws then
    []
  else
    let
      x = head ws
      xs = tail ws
    in
      x*x : squares xs
```

Pattern matching and conditionals (take)

Pattern matching

```
take :: Int -> [a] -> [a]
take 0 xs      = []
take i []     = []
take i (x:xs) = x : take (i-1) xs
```

Conditionals with binding

```
take :: Int -> [a] -> [a]
take i ws
  if i == 0 || null ws then
    []
  else
    let
      x = head ws
      xs = tail ws
    in
      x : take (i-1) xs
```

Pattern matching and guards (take)

Pattern matching

```
take :: Int -> [a] -> [a]
take 0 xs      = []
take i []      = []
take i (x:xs)  = x : take (i-1) xs
```

Guards

```
take :: Int -> [a] -> [a]
take 0 xs      = []
take i []      = []
take i (x:xs) | i > 0 = x : take (i-1) xs
```

How take works (recursion)

```
take :: Int -> [a] -> [a]
take 0 xs      = []
take i []     = []
take i (x:xs) = x : take (i-1) xs
```

```
take 3 "words"
=
'w' : take 2 "ords"
=
'w' : ('o' : take 1 "rds")
=
'w' : ('o' : ('r' : take 0 "ds"))
=
'w' : ('o' : ('r' : []))
=
"wor"
```

The infinite case

```
take :: Int -> [a] -> [a]
take 0 xs      = []
take i []      = []
take i (x:xs) = x : take (i-1) xs
```

```
takeComp :: Int -> [a] -> [a]
takeComp i xs = [ x | (j,x) <- zip [0..] xs, j < i ]
```

```
Prelude> take 3 [10..]
[10,11,12]
```

```
Prelude> takeComp 3 [10..]
[10,11,12  -- computation goes on forever!
```

The comprehension version of take (takeComp) only works for finite lists - keeps going forever for infinite lists. Using recursion, the cost is proportional to the number of elements taken. Using comprehension, the cost is proportional to the length of the list. (Same for drop and select.)

The infinite case explained

Function `takeComp` is equivalent to `takeCompRec`.

```
takeCompRec :: Int -> [a] -> [a]
takeCompRec i xs = helper 0 i xs
  where
    helper j i [] = []
    helper j i (x:xs) | j < i = x : helper (j+1) i xs
                      | otherwise = helper (j+1) i xs
```

```
takeCompRec 3 [10..]
=
  helper 0 3 [10..]
=
  10 : helper 1 3 [11..]
=
  10 : (11 : helper 2 3 [12..])
=
  10 : (11 : (12 : helper 3 3 [13..]))
=
  10 : (11 : (12 : helper 4 3 [14..]))
=
  ...
```

Part II

Arithmetic

Optional material: arithmetic functions defined using recursion.

Arithmetic (recursion)

$(+)$:: Int -> Int -> Int
 $m + 0 = m$
 $m + n = (m + (n-1)) + 1$

$(*)$:: Int -> Int -> Int
 $m * 0 = 0$
 $m * n = (m * (n-1)) + m$

$(^)$:: Int -> Int -> Int
 $m ^ 0 = 1$
 $m ^ n = (m ^ (n-1)) * m$

How arithmetic works (recursion)

```
(+) :: Int -> Int -> Int  
m + 0 = m  
m + n = (m + (n-1)) + 1
```

```
2 + 3  
=  
(2 + 2) + 1  
=  
((2 + 1) + 1) + 1  
=  
(((2 + 0) + 1) + 1) + 1  
=  
((2 + 1) + 1) + 1  
=  
5
```

Giuseppe Peano (1858–1932)



The definition of the natural numbers is named the *Peano axioms* in his honour.
Made key contributions to the modern treatment of mathematical induction.