

Inf2D 01: Intelligent Agents and their Environments

Valerio Restocchi

School of Informatics, University of Edinburgh

14/01/20

informatics




Slide Credits: Jacques Fleuriot, Michael Rovatsos, Michael Herrmann, Vaishak Belle

Structure of Intelligent Agents

An agent:

- Perceives its **environment**,
- Through its **sensors**,
- Then achieves its **goals**
- By acting on its environment via **actuators**.

Structure of Intelligent Agents



Examples of Agents 1

- **Agent**: mail sorting robot
- **Environment**: conveyor belt of letters
- **Goals**: route letter into correct bin
- **Percepts**: array of pixel intensities
- **Actions**: route letter into bin

Side info: https://en.wikipedia.org/wiki/Mail_sorter

Examples of Agents 2

- **Agent:** intelligent house
- **Environment:**
 - ▶ occupants enter and leave house,
 - ▶ occupants enter and leave rooms;
 - ▶ daily variation in outside light and temperature
- **Goals:** occupants warm, room lights are on when room is occupied, house energy efficient
- **Percepts:** signals from temperature sensor, movement sensor, clock, sound sensor
- **Actions:** room heaters on/off, lights on/off

Side info: https://en.wikipedia.org/wiki/Home_automation

Examples of Agents 3

- **Agent**: autonomous car.
- **Environment**: streets, other vehicles, pedestrians, traffic signals/lights/signs.
- **Goals**: safe, fast, legal trip.
- **Percepts**: camera, GPS signals, speedometer, sonar.
- **Actions**: steer, accelerate, brake.


Side info: https://en.wikipedia.org/wiki/Autonomous_car

Simple Reflex Agents

- Action depends only on immediate percepts.
- Implement by **condition-action rules**.
- **Example:**
 - ▶ **Agent:** Mail sorting robot
 - ▶ **Environment:** Conveyor belt of letters
 - ▶ **Rule:** e.g. *city=Edinburgh* → *put Scotland bag*

https://en.wikipedia.org/wiki/Intelligent_agent

Simple Reflex Agents



function SIMPLE-REFLEX-AGENT(*percept*)

returns *action*

persistent: *rules* (set of condition-action rules)

state ← INTERPRET-INPUT(*percept*)

rule ← RULE-MATCH(*state*, *rules*)


action ← rule.ACTION

return *action*

Model-Based Reflex Agents

- Action may depend on history or unperceived aspects of the world.
- Need to maintain **internal world model**.
- **Example:**
 - ▶ **Agent:** robot vacuum cleaner
 - ▶ **Environment:** dirty room, furniture.
 - ▶ **Model:** map of room, which areas already cleaned.
 - ▶ Sensor/model trade-off.

Model-Based Agents



function REFLEX-AGENT-WITH-STATE(*percept*)

returns *action*

persistent: *state*, description of current world state

model, description of how the next state depends on
current state and action

rules, a set of condition-action rules

action, the most recent action, initially none

state \leftarrow UPDATE-STATE(*state*, *action*, *percept*, *model*)

rule \leftarrow RULE-MATCH(*state*, *rules*)


action \leftarrow rule.ACTION

return *action*

Goal-Based Agents

- Agents so far have fixed, implicit goals.
- We want agents with variable goals.
- Forming plans to achieve goals is later topic.
- **Example:**
 - ▶ **Agent:** household service robot
 - ▶ **Environment:** house & people.
 - ▶ **Goals:** clean clothes, tidy room, table laid, etc.


Goal-Based Agents



Utility-Based Agents

- Agents so far have had a single goal.
- Agents may have to juggle conflicting goals.
- Need to optimise utility over a range of goals.
- **Utility**: measure of *goodness* (a real number).
- Combine with probability of success to get *expected utility*.
- **Example**:
 - ▶ **Agent**: automatic car.
 - ▶ **Environment**: roads, vehicles, signs, etc.
 - ▶ **Goals**: stay safe, reach destination, be quick, obey law, save fuel, etc.

Utility-Based Agents



We will not be covering utility-based agents, but this topic is discussed in Russell & Norvig, Chapters 16 and 17.

Learning Agents

How do agents improve their performance in the light of experience?

- Generate problems which will test performance.
- Perform activities according to rules, goals, model, utilities, etc.
- Monitor performance and identify non-optimal activity.
- Identify and implement improvements.

We will not be covering learning agents, but this topic is dealt with in several honours-level courses (see also R&N, Ch. 18-21).

Mid-Lecture Problem

Consider a chess playing program.
What sort of agent would it need to be?

Solution(s)

- **Simple-reflex agent**: but some actions require some memory (e.g. castling in chess: <http://en.wikipedia.org/wiki/Castling>).
- **Model-based reflex agent**: but needs to reason about future.
- **Goal-based agent**: but only has one goal.
- **Utility-based agent**: might consider multiple goals with limited lookahead.
- **Learning agent**: Learns from experience or self-play

Types of Environment 1

- Fully Observable vs. Partially Observable:
 - ▶ Full: agent's sensors describe environment state fully.
 - ▶ Partial: some parts of environment not visible, noisy sensors.
- Deterministic vs. Stochastic:
 - ▶ Deterministic: next state fully determined by current state and agent's actions.
 - ▶ Stochastic: random changes (can't be predicted exactly).

An environment may appear stochastic if it is only partially observable.

Types of Environment 2

- Episodic vs. Sequential:
 - ▶ Episodic: next action does not depend on previous actions.
 - ▶ Mail-sorting robot vs. crossword puzzle.
- Static vs. Dynamic:
 - ▶ Static: environment unchanged while agent deliberates.
 - ▶ Crossword puzzle vs. chess.
 - ▶ Industrial robot vs. robot car

Types of Environment 3

- Discrete vs. Continuous:
 - ▶ Discrete: percepts, actions and episodes are discrete.
 - ▶ Chess vs. robot car.
- Single Agent vs. Multi-Agent:
 - ▶ How many objects must be modelled as agents.
 - ▶ Crossword vs. poker.

Element of choice over which objects are considered agents.

Types of Environment 4

- An agent may have any combination of these properties:
 - ▶ from “benign” (i.e., fully observable, deterministic, episodic, static, discrete and single agent)
 - ▶ to “chaotic” (i.e., partially observable, stochastic, sequential, dynamic, continuous and multi-agent).
- What are the properties of the environment that would be experienced by
 - ▶ a mail-sorting robot?
 - ▶ an intelligent house?
 - ▶ a car-driving robot?

Summary

- Simple reflex agents
- Model-based reflex agents
- Goal-based agents
- Utility-based agents
- Learning agents
- Properties of environments