

# Informatics 2D – Reasoning and Agents

Semester 2, 2019–2020

Alex Lascarides  
alex@inf.ed.ac.uk



Lecture 26 – Time and Uncertainty I  
19th March 2020

## Time and uncertainty

- ▶ So far we have only seen methods for describing uncertainty in static environments
- ▶ Every variable had a fixed value, we assumed that nothing changes during evidence collection or diagnosis
- ▶ Many practical domains involve uncertainty about processes that can be modelled with probabilistic methods
- ▶ Basic idea straightforward: imagine one BN model of the problem for every time step and reason about changes between them

## Where are we?

Last time ...

- ▶ Completed our account of Bayesian Networks
- ▶ Dealt with methods for exact and approximate inference in BNs
- ▶ Enumeration, variable elimination, sampling, MCMC

Today ...

- ▶ **Time and uncertainty I**

## States and observations

- ▶ Adopted approach similar to situation calculus: series of snapshots (**time slices**) will be used to describe process of change
- ▶ Snapshots consist of observable random variables  $\mathbf{E}_t$  and non-observable ones  $\mathbf{X}_t$
- ▶ For simplicity, we assume sets of (non)observable variables remain constant over time, but this is not necessary
- ▶ Observation at  $t$  will be  $\mathbf{E}_t = \mathbf{e}_t$  for some set of values  $\mathbf{e}_t$
- ▶ Assume that states start at  $t = 0$  and evidence starts arriving at  $t = 1$

## States and observations


- ▶ Example: underground security guard wants to predict whether it is raining but only observes every morning whether director comes in carrying umbrella
- ▶ For each day,  $\mathbf{E}_t$  contains variable  $U_t$  (whether the umbrella appears) and  $\mathbf{X}_t$  contains state variable  $R_t$  (whether it's raining)
- ▶ Evidence  $U_1, U_2, \dots$ , state variables  $R_0, R_1, \dots$
- ▶ Use notation  $a : b$  to denote sequences of integers, e.g.  $U_1, U_2, U_3 = U_{1:3}$

## Stationary processes and the Markov assumption

- ▶ How do we specify dependencies among variables?
- ▶ Natural to arrange them in temporal order (causes usually precede effects)
- ▶ Problem: set of variables is unbounded (one for each time slice), so we would have to
  - ▶ specify unbounded number of conditional probability tables
  - ▶ specify an unbounded number of parents for each of these
- ▶ Solution to first problem: we assume that changes are caused by a **stationary process** – the laws that govern the process do not change themselves over time (not to be confused with “static”)
- ▶ For example,  $\mathbf{P}(U_t | \text{Parents}(U_t))$  does not depend on  $t$

## Stationary processes and the Markov assumption

- ▶ Solution to second problem: **Markov assumption** – the current state only depends on a finite history of previous states
- ▶ Such processes are called Markov processes or Markov chains
- ▶ Simplest form: **first-order Markov processes**, every state depends only on predecessor state
- ▶ We can write this as  $\mathbf{P}(\mathbf{X}_t | \mathbf{X}_{0:t-1}) = \mathbf{P}(\mathbf{X}_t | \mathbf{X}_{t-1})$
- ▶ This conditional distribution is called **transition model**
- ▶ Difference between first-order and second-order Markov processes:



## Stationary processes and the Markov assumption

- ▶ Additionally, we will assume that evidence variables depend only on current state:


$$\mathbf{P}(\mathbf{E}_t | \mathbf{X}_{0:t}, \mathbf{E}_{0:t-1}) = \mathbf{P}(\mathbf{E}_t | \mathbf{X}_t)$$

- ▶ This is called the **sensor model (observation model)** of the system
- ▶ Notice direction of dependence: state causes evidence (but inference goes in other direction!)
- ▶ In umbrella world, rain causes umbrella to appear
- ▶ Finally, we need a prior distribution over initial states  $\mathbf{P}(\mathbf{X}_0)$
- ▶ These three distributions give a specification of the complete JPD:

$$\mathbf{P}(\mathbf{X}_0, \mathbf{X}_1, \dots, \mathbf{X}_t, \mathbf{E}_1, \dots, \mathbf{E}_t) = \mathbf{P}(\mathbf{X}_0) \prod_{i=1}^t \mathbf{P}(\mathbf{X}_i | \mathbf{X}_{i-1}) \mathbf{P}(\mathbf{E}_i | \mathbf{X}_i)$$

## Umbrella world example

- ▶ Bayesian network structure and conditional distributions
- ▶ Transition model  $P(Rain_t | Rain_{t-1})$ , sensor model  $P(Umbrella_t | Rain_t)$



- ▶ Rain depends only on rainfall on previous day, whether this is reasonable depends on domain!

## Inference tasks in temporal models

- ▶ Now that we have described general model, we need inference methods for a number of tasks
- ▶ **Filtering/monitoring**: compute **belief state** given evidence to date, i.e.  $P(\mathbf{X}_t | \mathbf{e}_{1:t})$
- ▶ Interestingly, an almost identical calculation yields the **likelihood** of the evidence sequence  $P(\mathbf{e}_{1:t})$
- ▶ **Prediction**: computing posterior distribution over a future state given evidence to date:  $P(\mathbf{X}_{t+k} | \mathbf{e}_{1:t})$
- ▶ **Smoothing/hindsight**: compute posterior distribution of past state,  $P(\mathbf{X}_k | \mathbf{e}_{1:t})$ ,  $0 \leq k < t$
- ▶ **Most likely explanation**: compute  $\arg \max_{\mathbf{x}_{1:t}} P(\mathbf{x}_{1:t} | \mathbf{e}_{1:t})$  i.e. the most likely sequence of states given evidence

## Stationary processes and the Markov assumption

- ▶ If Markov assumptions seems too simplistic for some domains (and hence, inaccurate), two measures can be taken
  - ▶ We can increase the order of the Markov process model
  - ▶ We can increase the set of state variables
- ▶ For example, add information about season, pressure or humidity
- ▶ But this will also increase prediction requirements (problem alleviated if we add new sensors)
- ▶ Example: dependency of predicting movement of robot on battery power level
  - ▶ add battery level sensor

## Filtering and prediction

- ▶ Done by **recursive estimation**: compute result for  $t+1$  by doing it for  $t$  and then updating with new evidence  $\mathbf{e}_{t+1}$ . That is, for some function  $f$ :

$$P(\mathbf{X}_{t+1} | \mathbf{e}_{1:t+1}) = f(\mathbf{e}_{t+1}, P(\mathbf{X}_t | \mathbf{e}_{1:t}))$$

- ▶

$$\begin{aligned} P(\mathbf{X}_{t+1} | \mathbf{e}_{1:t+1}) &= P(\mathbf{X}_{t+1} | \mathbf{e}_{1:t}, \mathbf{e}_{t+1}) \\ &= \alpha P(\mathbf{e}_{t+1} | \mathbf{X}_{t+1}, \mathbf{e}_{1:t}) P(\mathbf{X}_{t+1} | \mathbf{e}_{1:t}) && \text{(Bayes' rule)} \\ &= \alpha P(\mathbf{e}_{t+1} | \mathbf{X}_{t+1}) P(\mathbf{X}_{t+1} | \mathbf{e}_{1:t}) && \text{(Markov property)} \\ &= \alpha P(\mathbf{e}_{t+1} | \mathbf{X}_{t+1}) \sum_{\mathbf{x}_t} P(\mathbf{X}_{t+1} | \mathbf{x}_t, \mathbf{e}_{1:t}) P(\mathbf{x}_t | \mathbf{e}_{1:t}) && \text{(conditioning)} \\ &= \alpha P(\mathbf{e}_{t+1} | \mathbf{X}_{t+1}) \sum_{\mathbf{x}_t} P(\mathbf{X}_{t+1} | \mathbf{x}_t) P(\mathbf{x}_t | \mathbf{e}_{1:t}) && \text{(Markov assumption)} \end{aligned}$$

- ▶  $P(\mathbf{e}_{t+1} | \mathbf{X}_{t+1})$  is sensor model;  $P(\mathbf{X}_{t+1} | \mathbf{x}_t)$  is transition model,  $P(\mathbf{x}_t | \mathbf{e}_{1:t})$  is recursive bit (current state distribution).

## Filtering and prediction

- ▶ We can view estimate  $\mathbf{P}(\mathbf{X}_t|\mathbf{e}_{1:t})$  as “message”  $\mathbf{f}_{1:t}$  propagated and updated through sequence
- ▶ We write this process as  $\mathbf{f}_{1:t+1} = \alpha\text{FORWARD}(\mathbf{f}_{1:t}, \mathbf{e}_{t+1})$
- ▶ Time and space requirements for this are constant regardless of length of sequence
- ▶ This is extremely important for agent design!
- ▶ All this is very abstract, let’s look at an example

## Example Compute $\mathbf{P}(R_2|u_{1:2})$ , $U_1 = \text{true}$ , $U_2 = \text{true}$

- ▶ Suppose  $\mathbf{P}(R_0) = \langle 0.5, 0.5 \rangle$
- ▶ Recursive equations:

$$\mathbf{P}(R_2|u_1, u_2) = \alpha\mathbf{P}(u_2|R_2) \sum_{r_1} \mathbf{P}(R_2|r_1)P(r_1|u_1)$$

$$\begin{aligned} \mathbf{P}(R_1|u_1) &= \alpha'\mathbf{P}(u_1|R_1) \sum_{r_0} \mathbf{P}(R_1|r_0)P(r_0) \\ &= \alpha'\langle 0.9, 0.2 \rangle (\langle 0.7, 0.3 \rangle \times 0.5 + \langle 0.3, 0.7 \rangle \times 0.5) \\ &= \alpha'\langle 0.9, 0.2 \rangle \langle 0.5, 0.5 \rangle \\ &= \langle 0.818, 0.182 \rangle \end{aligned}$$

$$\begin{aligned} \mathbf{P}(R_2|u_1, u_2) &= \alpha\langle 0.9, 0.2 \rangle (\langle 0.7, 0.3 \rangle \times 0.818 + \langle 0.3, 0.7 \rangle \times 0.182) \\ &= \alpha\langle 0.9, 0.2 \rangle \langle 0.627, 0.373 \rangle \\ &= \alpha\langle 0.565, 0.075 \rangle \\ &= \langle 0.883, 0.117 \rangle \end{aligned}$$

## Filtering and prediction

- ▶ Prediction works like filtering without new evidence
- ▶ Computation involves only transition model and not sensor model:

$$\mathbf{P}(\mathbf{X}_{t+k+1}|\mathbf{e}_{1:t}) = \sum_{\mathbf{x}_{t+k}} \mathbf{P}(\mathbf{X}_{t+k+1}|\mathbf{x}_{t+k})P(\mathbf{x}_{t+k}|\mathbf{e}_{1:t})$$

- ▶ As we predict further and further into the future, distribution of rain converges to  $\langle 0.5, 0.5 \rangle$
- ▶ This is called the **stationary distribution** of the Markov process (the more uncertainty, the quicker it will converge)

## Filtering and prediction

- ▶ We can use the above method to compute **likelihood** of evidence sequence  $P(\mathbf{e}_{1:t})$
- ▶ Useful to compare different temporal models
- ▶ Use a likelihood message  $\mathbf{l}_{1:t} = \mathbf{P}(\mathbf{X}_t, \mathbf{e}_{1:t})$  and compute

$$\mathbf{l}_{1:t+1} = \alpha\text{FORWARD}(\mathbf{l}_{1:t}, \mathbf{e}_{t+1})$$

- ▶ Once we compute  $\mathbf{l}_{1:t}$ , summing out yields likelihood

$$L_{1:t} = P(\mathbf{e}_{1:t}) = \sum_{\mathbf{x}_t} \mathbf{l}_{1:t}(\mathbf{x}_t, \mathbf{e}_{1:t})$$

## Summary

- ▶ Time and uncertainty (states and observations)
- ▶ Stationarity and Markov assumptions
- ▶ Inference in temporal models
- ▶ Filtering and prediction
- ▶ Next time: **Time and Uncertainty II**