
Probabilistic Modelling and Reasoning — Course Recap —

Michael U. Gutmann

Probabilistic Modelling and Reasoning (INFR11134) School of Informatics, The University of Edinburgh

Spring Semester 2023

- We started the course with the basic observation that variability is part of nature.
- Variability leads to uncertainty when analysing or drawing conclusions from data.
- This motivates taking a probabilistic approach to modelling and reasoning.



Probabilistic modelling:

- Identify the quantities that relate to the aspects of reality that you wish to capture with your model.
- Consider them to be random variables, e.g. x, y, z, with a joint pdf (pmf) p(x, y, z).
- Probabilistic reasoning:
 - Assume you know that $\mathbf{y} \in \mathcal{E}$ (measurement, evidence)
 - Probabilistic reasoning about x then consists in computing

$$p(\mathbf{x}|\mathbf{y} \in \mathcal{E})$$

or related quantities like its maximiser or posterior expectations.

Course recap

- Principled framework but naive implementation quickly runs into computational issues.
- ► For example,

$$p(\mathbf{x}|\mathbf{y}_o) = \frac{\sum_{\mathbf{z}} p(\mathbf{x}, \mathbf{y}_o, \mathbf{z})}{\sum_{\mathbf{x}, \mathbf{z}} p(\mathbf{x}, \mathbf{y}_o, \mathbf{z})}$$

cannot be computed if $\mathbf{x}, \mathbf{y}, \mathbf{z}$ each are d = 500 dimensional, and if each element of the vectors can take K = 10 values.

The course had four main topics.

Topic 1: Representation We discussed reasonably weak assumptions to efficiently represent $p(\mathbf{x}, \mathbf{y}, \mathbf{z})$.

- Two classes of assumptions: independence and parametric assumptions.
- Directed and undirected graphical models
- Independencies encoded by the graphs
- Factor graphs

Course recap

Topic 2: Exact inference We have seen that the independence assumptions allow us, under certain conditions, to efficiently compute the posterior probability or derived quantities.

- Variable elimination for general factor graphs
- Inference when the model can be represented as a factor tree (message passing algorithms)
- Application to Hidden Markov models

Topic 3: Learning We discussed methods to learn probabilistic models from data by introducing parameters and learning them from data.

- Learning by Bayesian inference
- Learning by parameter estimation
- Likelihood function
- Factor analysis and independent component analysis

Topic 4: Approximate inference and learning Intractable integrals may hinder inference and likelihood-based learning.

- Intractable integrals may be due to unobserved variables or intractable partition functions.
- Variational approaches to learning and inference
- EM algorithm and its application to hidden Markov models
- Learning of deep latent variable models and variational autoencoders