Collaboration Diagrams

Massimo Felici Room 1402, JCMB, KB 0131 650 5899 mfelici@inf.ed.ac.uk

Interaction Diagrams

- UML Interaction Diagrams refine the kind of activity undertaken in checking with CRC cards
- There are two different kinds of interaction diagrams:
 - Collaboration Diagrams
 - Sequence Diagrams
- There is some redundancy between Collaboration and Sequence Diagrams
 - They differently show how elements interact over time
 - They document in detail how classes realize user cases
 - · Collaboration Diagrams show relationship between objects
 - · Sequence Diagrams focus on the time in which events occur


Collaboration Diagrams' Rationale

- Model collaborations between objects or roles that deliver the functionalities of use cases and operations
- Model mechanisms within the architectural design of the system
- Capture interactions that show the passed messages between objects and roles within the collaboration
- Model alternative scenarios within use cases or operations that involve the collaboration of different objects and interactions
- Support the identification of objects (hence classes) that participate in use cases

SEOC1

Collaboration Diagrams: An Example

- Each message in a collaboration diagram has a sequence number.
- The top-level message is numbered 1. Messages sent during the same call have the same decimal prefix but suffixes of 1, 2, etc. according to when they occur.



Collaboration Diagrams

- Specification level shows generic cases of collaborations
 - Generic form captures a collaboration among class roles and association roles and their interactions
- Instance level shows a specific instance of an interaction taking place and involving specific object instances
 - Instance form captures a scenario among objects conforming to class roles and links conforming to association roles

5

What is a Collaboration?

- A Collaboration is a collection of named objects and actors with links connecting them. They collaborate in performing some task.
- A Collaboration defines a set of participants and relationships that are meaningful for a given set of purposes
- A Collaboration between objects working together provides emergent desirable functionalities in Object-Oriented systems
 - · Each object (responsibility) partially supports emergent functionalities
 - Objects are able to produce (usable) high-level functionalities by working together
- Objects collaborate by communicating (passing messages) with one another in order to work
 SEO # Ogether

Collaborations

Actors

- Each Actor is named and has a role
- · One actor will be the initiator of the use case

Objects

- Each object in the collaboration is named and has its class specified
- · Not all classes need to appear
- · There may be more than one object of a class

Links

- Links connect objects and actors and are instances of associations
- Each link corresponds to an association in the class diagram

Interactions

- Use cases and Class Diagrams constrain interactions
- Associations and Links in a Collaboration Diagram show the paths along which messages can be sent from one instance to another
- A message is the specification of a stimulus
- A stimulus represents a specific instance of sending the message, with particular arguments

Messages

Message Signature

return-value, message-name and argument-list

Message Flows

- Procedural or Synchronous: A message is sent by one object to another and the first object waits until the resulting action has completed.
- Asynchronous: A message is sent by one object to another, but the first object does not wait until the resulting action has completed.
- Flat: Each arrow shows a progression from one step to the next in a sequence. Normally the message is asynchronous.
- Return: the explicit return of control from the object to which the message was sent.

Further information on Messages

Sequence-expression, Predecessor, Guard-condition

Where should messages go?

- The message is directed from sender to receiver
- The receiver must understand the message
- The association must be navigable in that direction

Law of Demeter

- Dealing with a message m an Object O can send messages to:
 - Itself
 - Objects sent as argument in the message m
 - Objects O creates in responding to m
 - Objects that are directly accessible from O, using attribute values

Activations: Flow of Control

Procedural interactions

· At most one object is computing at any time

Activation

 An object has a live activation from when it receives a message until it responds to the message

Waiting for response

 Synchronous messages on sending a message to another object, an object will wait until it receives a response

Activation task

 Activations are stacked and the top activation has control. When the top action responds the next to top regains control and so on...

Constructing Collaboration Diagrams

- 1. Identify behavior whose realization and implementation is specified
- 2. Identify the structural elements (class roles, objects, subsystems) necessary to carry out the functionality of the collaboration
 - Decide on the context of interaction: system, subsystem, use case and operation
- 3. Model structural relationships between those elements to produce a diagram showing the context of the interaction
- 4. Consider the alternative scenarios that may be required
 - Draw instance level collaboration diagrams, if required.
- · Optionally draw a specification level collaboration diagram to summarize the alternative scenarios in the instance level sequence diagrams

 Lecture Note 08

Reading/Activity

- Read Chapter 8, Collaboration Diagrams, of the Schaum's Outlines UML book
- Read Chapter 9, Interaction Sequence Diagrams, of the Schaum's Outlines UML book

Summary

- Interaction Diagrams
 - Collaboration Diagrams
 - · Sequence Diagrams
- Collaboration Diagrams' Rationale
- Collaboration Diagrams
 - Collaborations
 - Interactions
 - Messages
- Constructing Collaboration Diagrams

