



# Sequence Diagrams

Massimo Felici

Room 1402, JCMB, KB

0131 650 5899

[mfelici@inf.ed.ac.uk](mailto:mfelici@inf.ed.ac.uk)

# What are Sequence Diagrams?

## ■ Sequence Diagrams

- are **interaction diagrams** that detail how **operations** are carried out
- capture the interaction between **objects** in the context of a **collaboration**

- The **collaboration** is implicit in a **Sequence Diagram**, rather than explicitly represented as in a **Collaboration Diagram**

## ■ Sequence Diagrams

- show object instances that play the roles defined in a collaboration
- don't show the structural relationships between objects
- show the order of the interaction visually by using the vertical axis of the diagram to represent time what messages are sent and when

# What Do Sequence Diagrams Model?

## ■ Sequence Diagrams


- Model high-level **interaction** between active **objects** in a system
- Model the interaction between object instances within a **collaboration** that realizes a **use case**
- Model the interaction between objects within a collaboration that realizes an **operation**
- Either model generic interactions (showing all possible paths through the interaction) or specific instances of a interaction (showing just one path through the interaction)

## ■ Sequence Diagrams capture

- the interaction that takes place in a collaboration that either realizes a use case or an operation (**instance diagrams** or **generic diagrams**)
- high-level interactions between user of the system and the system, between the system and other systems, or between subsystems (sometimes known as **system sequence diagrams**)


# Sequence Diagrams at a Glance

**Sequence Diagrams** show **elements** as they **interact over time**, showing interactions or interaction instances



# Sequence Diagrams' Dimensions

- **Sequence diagrams** are organized according to time
- **Objects**
  - The horizontal axis shows the elements that are involved in the interaction
  - Conventionally, the **objects** involved in the operation are listed from left to right according to when they take part in the message sequence
  - However, the elements on the horizontal axis may appear in any order
- **Time**
  - The vertical axis represents **time** proceedings (or progressing) down the page



# Sequence Diagrams' Basics

- **Classes** or **Objects**: each object (class) in the interaction is represented by its named icon along the top of the diagram
- **Lifelines**: each vertical dotted line is a **lifeline**, representing the time that an **object** exists
- **Activations**: an activation (shown as tall, thin rectangle on a **lifeline**) represents the period during which an element is performing an operation. The top and the bottom of the of the rectangle are aligned with the **initiation** and the **completion time** respectively
- **Messages**: a **message** (or stimulus) is represented as an arrow going from the sender to the top of the **activation** bar of the message on the receiver's lifeline

# Sequence Diagrams' Basics continued

- **Reflexive Communications:** similar to a reflexive association or link, an element may communicate with itself where communication is sent from the element to itself. Sending messages to itself means an object has two activations simultaneously.
- **Element Creation:** when an element is created during an interaction, the communication that creates the element is shown with its arrowhead to the element
- **Element Destruction:** When an element is destroyed during an interaction, the communication that destroys the element is shown with its arrowhead to the element's lifeline where the destruction is marked with a large **X** symbol

# Sequence Diagrams' Basics continued


- **Repetitions**: involve repeating a set of messages or stimuli within a generic-form interaction. Messages are grouped together in a rectangle. The expression in square brackets, [ ], is a **condition**. The asterisk "\*" means **iteration**.
- **Conditionality: branching** results in a choice of two different messages (or operation calls) being sent to the same object, the lifeline of the object splits with two activations. The separate lifelines merge back together after the completion of different actions in response to the different messages.
- **Return Values**: often worthwhile to label the return value because it may be used later in the interaction



# Creation and Deletion


In **Collaboration Diagrams** the objects are labeled:

- New for objects created in the collaboration
- Destroyed for objects destroyed during the collaboration



In **Sequence Diagrams**, It is possible to use the lifelines


- New objects have their icon inserted when they are created
- Destroyed objects have their lifeline terminated with **X**



# Timing

- **Sequence Diagrams** easily deal with **Timing** information
- **Constraints:** are usually used to show timing constraints on messages. They can apply to the timing of one message or intervals between messages.
  - Label the points of issue and return for a message. Use these labels in expressing timing constraints.
  - This technique also works for message sending that takes time (so arrows are sloping down).
- **Durations.** The duration of activations or the time between messages can be show with construction marks.
  - Metric information in the diagram contribute to representing timing, but this is not recommended (why not?)
  - Although if the line representing the message is horizontal, it is unclear whether it applies to the time the message is sent or received

# A Sequence Diagram with Timing



# How to Produce Sequence Diagrams

1. **Decide on Context:** Identify **behavior** (or **use case**) to be specified
2. **Identify structural elements:**
  1. Model **objects** (classes)
  2. Model **lifelines**
  3. Model **activations**
  4. Model **messages**
  5. Model **Timing constraints**
3. Refine and elaborate as required



# How do interaction diagrams help?

- **Check use cases:** this is the main emphasized aspect
- **Check class can provide an operation:** shows how a class realizes some operation by interacting with other objects
- **Describe design pattern:** parameterizing by class provides a scheme for a generic interaction (part of Software Architecture)
- **Describe how to use a component:** captures how components can interact



# Summary

- **Sequence Diagrams**

- capture some elements of the dynamics of systems
- Support a number of different activities
- Describe interaction in some detail, including timing

- **Dimensions:** Objects and Time

- **Basics:** Objects, Lifelines, Activations, Messages, etc.

- **Timing**

- **Collaboration vs. Sequence Diagrams**

