
Activity Diagrams

Massimo Felici
Room 1402, JCMB, KB
0131 650 5899
mfelici@inf.ed.ac.uk

Activity Diagrams

- Activity Diagrams describe
 - how activities are coordinated to provide a service.
 The service can be at different levels of abstraction.
 - The events needed to achieve some operation, particularly where the operation is intended to achieve a number of different things that require coordination.
 - · How the events in a single use case relate to one another. In particular, use cases where activities may overlap and require coordination.
 - · How a collection of use cases coordinate to create a workflow for an organization.
- Activity Diagrams consist of activities, states and transitions between activities and states

Activity Diagrams at a Glance



Activity Diagrams focus on the flow of activities involved in a single process.
Activity Diagrams show how activities depend on one another.

Activity Diagrams' Purpose

- Model business workflows
- Identify candidate use cases, through the examination of business workflows
- Identify pre- and post-conditions for use cases
- Model workflow between/within use cases
- Model complex workflows in operations on objects
- Model in detail complex activities in a high level activity diagram

Activity Diagram Basics

- Activities and Actions
- States
- Transitions
- Decision Points
- Swimlanes
- Forks and Joins

Activities and Actions

- Activities are the vertices of the diagram. This is like a state where the criterion for leaving the state is the completion of the activity.
- An Activity is a unit of work that needs to be carried out
 - Any Activity takes time
- The work can be documented as Actions in the activity
 - · There are four ways in which an action can be triggered
 - On Entry: as soon as the activity starts
 - Do: during lifetime of the activity
 - · On Event: in response to an event
 - On Exit: just before the activity completes

States

- A state in an activity diagram is a point where some event needs to take place before activity can continue
- Activities and States are similar
 - States carry out actions as activities do
 - · Activities need to complete their actions before exiting
 - States are used to imply waiting, not doing
- Start and End states
 - The Start state is the entry point to a flow. Only one start state is allowed
 - There can be several End states. Multiple End states can be used to indicated different follow-on processes from a particular process
 - Start and End states can have actions too
 - Mal-formed diagrams: it is possible to form ill-formed diagrams that require multiple activations of activities or can allow deadlock

Transitions

- A Transition is the movement from one activity to another, the change from one state to another, or the movement between a state and an activity in either direction
- Transitions: unlabelled arrows from one activity to the next.
- Transitions take place when one activity is complete and the next can commence
- Control-flow Transitions indicate the order of action states
- Object-flow Transitions indicate that an action state inputs or outputs an object

Decision Points

- A Decision Point shows where the exit transition from a state or activity may branch in alternative directions depending on a condition
- A Decision involves selecting one controlflow transition out of many control-flow transitions based on a condition
- Guard Expressions (inside []) label the transitions coming out of a branch

Swimlines

- Swimlines indicate where activities take place.
- Swimlines can also be used to identify areas at the technology level where activities are carried out
- Swimlines allow the partition an activity diagram so that parts of it appear in the swimline relevant to that element in the partition
- Partitions may be constructed on the basis of:
 - · the class and actor doing the activity
 - Partitioning by class and actor can help to identify new associations that have not been documented in the Class model
 - · the use case the activity belongs to
 - Partitioning by use cases can help document how use cases interact

Forks and Joins

- A transition can be split into multiple paths and multiple paths combined into a single transitions by using a synchronization bar
- A synchronization may have many in-arcs from activities and a number of out-arcs to activities
- The bar represents synchronization of the completion of those activities with arcs into the transition
- A Join is where the paths meet
- On an occurrence of the transition all the activities with arcs from the transition are initiated
- A Fork is where the paths split

How to construct Activity Diagrams

Activity Diagrams for Business Modeling

- 1. Finding business actors and use cases
- 2. Identifying key scenarios of business use cases
- 3. Combining the scenarios to produce comprehensive workflows described using activity diagrams
- 4. Where appropriate, mapping activities to business areas and recording this using swimlines
- Refining complicated high level activities similarly, nested activity diagrams

How to construct Activity Diagrams

Activity Diagrams for Use Case Modeling

- 1. Finding system Actors, Classes and use cases
- 2. Identifying key scenarios of system use cases
- Combining the scenarios to produce comprehensive workflows described using activity diagrams
- 4. Where significant object behavior is triggered by a workflow, adding object flows to the diagrams
- 5. Where workflows cross technology boundaries, using swimlines to map the activities
- 6. Refining complicated high level activities similarly, nested activity diagrams

Reading/Activity

- Read
 - Chapter 10, Activity Diagrams, of the Schaum's Outlines UML book
 - Chapter 11, Statechart Diagrams, of the Schaum's Outlines UML book
- The Java Tutorial provides a quick reference to Java with many working examples.

Summary

- Activity Diagrams are good for describing synchronization and concurrency between activities
- Activity diagrams are useful for capturing detailed activities, but they can also capture elements of the high level workflow the system is intended to support
- Partitioning can be helpful in investigating responsibilities for interactions and associations between objects and actors