Validation: CRC Cards

Massimo Felici JCMB-1402 0131 650 5899 1BP-G04 0131 650 4408 mfelici@inf.ed.ac.uk

What are CRC Cards?

- CRC: "Class-Responsibility-Collaborator"
- CRC cards provide the means to validate the class model with the use case model
- Responsibilities are a way to state the rationale of the system design
- CRC cards support responsibility-based modeling

Design by Responsibilities

Responsibility-based Modeling allows

- The identification of the components from which the system is constructed
- The allocation of **responsibilities** to system components
- The identification of the services (or functionalities) provided by them
- The assessment how components satisfy the requirements as stated by the use cases

Types of Responsibilities

- To do something (active responsibilities)
- To provide information (acting as a contact point)

Design Activities

- 1. Preparation: collection and selection of use cases
- 2. Invention: (incremental) identification of components and responsibilities
- 3. Evaluation: questions and scenarios stress test the design
- 4. Consolidation: further assessment of the tested components
- 5. Documentation: recording identified reasons and scenarios

Steps in Responsibility-based Design


- 1. Identify scenarios of use; bound the scope of design
- 2. Role play the scenarios, evaluating responsibilities
- 3. Name the required responsibilities to carry a scenario toward
- Make sure that each component has sufficient information and ability to carry out its responsibility
- Consider variations of the scenario; check the stability of the responsibility
- 6. Evaluate the components
- 7. Ask the volatility/stability of the component
- 8. Create variations

- 9. Run through the variant scenarios to investigate the stability of the components and responsibilities
- 10. Simulate if possible
- 11. Consolidate the components by level
- 12. Identify subsystems
- 13. Identify the different levels
- Document the design rationale and key scenarios
- 15. Decide which scenarios to document
- 16. List the components being used that already exist
- 17. Specify each new component

CRC Cards: How do they look like?

CRC Cards explicitly represent multiple objects simultaneously

- 1. The Name if the class it refers to
- 2. The **Responsibilities** of the class. These should be high level, not at the level of individual methods
- 3. The **Collaborators** that help discharge a responsibility




CRC Cards in Design Development

- 1. Work using role play. Different individuals are different objects
- 2. Pick a **use case** to building a **scenario** to hand simulate
- 3. Start with the person who has the card with the responsibility to initiate the use case
- 4. In discharging a **responsibility** a card owner may only talk to collaborators for that responsibility
- 5. Gaps must be repaid and re-tested against the use case

Using CRC Cards

- 1. Choose a coherent set of use cases
- 2. Put a card on the table
- 3. Walk through the scenario, naming cards and responsibilities
- 4. Vary the situations (i.e., assumptions on the use case), to stress test the cards
- 5. Add cards, push cards to the side, to let the design evolve (that is, evaluate different design alternatives)
- 6. Write down the key responsibility decisions and interactions

A Design Example



- A Library System
- The library system must keep track of when books are borrowed and returned
- The system must support librarian work
- The library is open to university staff and students
 SEOC Lecture Note 05

A Design Example


Borrower	
Borrow book Return book	

Record	
Keep track	Сору

Сору	
Record: Borrowed or Returned	Librarian
Book copies	Book

Book	
Book information	
Number of available copies	

Playing CRC Cards



What CRC Card help with

- Check use case can be achieved
- Check associations are correct
- Check generalizations are correct
- Detect omitted classes
- Detect opportunities to refactor the class model. That is: to move responsibilities about (and operations in the class model) without altering the overall responsibility of the system

CRC Cards and Quality

Too many responsibilities

- This indicates low cohesion in the system
- Each class should have at most three or four responsibilities
- Classes with more responsibilities should be split if possible

Too many collaborators

- This indicates high coupling
- It may be the division of the responsibilities amongst the classes is wrong


CRC Cards

- provide a good, early, measure of the quality of the system (design). Solving problems now is better that later.
- are flexible use them to record changes during validation


Using CRC Cards: An Example

Specimen Use Cases

- Patient admitted to ward. When a patient arrives on a ward, a duty nurse must create a new record for this patient and allocate them to a bed.
- 2. Nurse handover. The senior duty nurse at the end of their shift must inform the new staff of any changes during the previous shift (i.e., new patients, patients discharged, changes in patient health, changes to bed status or allocations).



Using CRC Cards: An Example continued



Principles for Refactoring

- Do not do both refactoring and adding functionality at the same time
- Make sure you have good tests before you begin refactoring
- Take short deliberate steps

When to Refactor?

- When you are adding a function to your design (program) and you find the old design (code) getting in the way
- When you are looking at design (code) and having difficulty understanding it

OO Design using CRC Cards

- 1. Review quality of class model
- 2. Identify opportunities for refactoring
- 3. Identify (new) classes that support system implementation
- 4. Identify further details (e.g., subresponsibilities of class responsibilities, attributes, object creations, destructions and lifetimes, passed data, etc.)

OO Analysis using CRC Cards

- 1. Session focuses on a part of requirements
- 2. Identify classes (e.g., noun-phrase analysis)
- 3. Construct CRC cards for these and assign to members
- 4. Add responsibilities to classes
- 5. Role-play scenarios to identify collaborators

Common Domain Modeling Mistakes

- Overlay specific noun-phrase analysis
- Counter-intuitive or incomprehensible class and association names
- Assigning multiplicities to associations too soon
- Addressing implementation issues too early
 - Presuming a specific implementation strategy
 - Committing to implementation constructs
 - Tackling implementation issues (e.g., integrating legacy systems)
- Optimizing for reuse before checking use cases achieved

(Suggested) Readings

Readings

 K. Beck, W. Cunningham. A Laboratory for Teaching Object-Oriented Thinking. In Proceedings of OOPSLA '89.

Suggested Readings

- A. Cockburn's papers
 - Responsibility-based Modeling
 - Using CRC Cards

Summary

- We should try to check the completeness of the class model (early assurance the model is correct)
- CRC Cards are a simple way of doing this
- CRC Cards support responsibility-based modeling and design
- CRC Cards identify errors and omissions
- They also give an early indication of quality
- Use the experience of simulating the system to refactor if this necessary